



MICHELLE LUJAN GRISHAM
GOVERNOR

JAMES C. KENNEY
CABINET SECRETARY

CERTIFIED MAIL – RETURN RECEIPT REQUESTED

February 8, 2022

Chad Barbee, Owner
Adelante Farms, LLC
Po Box 2107
Roswell, NM 88202

RE: Draft Discharge Permit Renewal for Closure, DP-208, Adelante Farms, LLC

Dear Chad Barbee:

The New Mexico Environment Department (NMED) hereby provides notice to you of the proposed approval of Ground Water Discharge Permit Renewal, DP-167, (copy enclosed), pursuant to Subsection H of 20.6.2.3108 NMAC. NMED will publish notice to the public of the availability of the draft Discharge Permit in the near future and will forward a copy of that notice to you.

Prior to making a final ruling on the proposed Discharge Permit, NMED will allow 30 days from the date the public notice is published in the newspaper for any interested party, including the Discharge Permit applicant, i.e., yourself, to submit written comments and/or a request a public hearing. Written comments and/or hearing requests for dairy facilities shall be postmarked on or before the end of the comment period, and submitted to the Ground Water Quality Bureau at the address above.

Pursuant to Subsection K of 20.6.2.3108 NMAC, requests for a hearing shall set forth the reasons for a hearing. For a dairy facility Discharge Permit that includes additional conditions pursuant to Subsection H of 20.6.6.10 NMAC, the request for hearing shall identify the conditions being disputed and shall identify the specific reasons said conditions are being disputed. Hearing requests that do not meet the requirements of Subsection K of 20.6.2.3108 NMAC and Section 20.6.6.15 NMAC are subject to denial by the Secretary. Hearings are presided over by the Secretary or a hearing officer appointed by the Secretary.

Please contact me at 505-660-8376 or jaben.richards@state.nm.us with questions or concerns. Written comments and/or a written request for hearing must be received, or the draft Discharge Permit will become final. Thank you for your cooperation during the review process.

Sincerely,

Jaben Richards
Team Leader

SCIENCE | INNOVATION | COLLABORATION | COMPLIANCE

Ground Water Quality Bureau | 1190 Saint Francis Drive, PO Box 5469, Santa Fe, New Mexico 87502-5469

Telephone (505) 827-2900 | www.env.nm.gov/gwqb/

Enc: Draft Discharge Permit Renewal for Closure, DP-208

cc: Nancy McDuffie, GWQB ACS Manager
Stuart Joy, P.E., Enviro-Ag Engineering, Inc., sjoy@enviroag.com
ACS Reading File



MICHELLE LUJAN GRISHAM
GOVERNOR

JAMES C. KENNEY
CABINET SECRETARY

Ground Water Quality Bureau

1190 Saint Francis Drive / PO Box 5469
Santa Fe, NM 87502-5469
Phone (505) 827-2900 Fax (505) 827-2965
www.env.nm.gov

Draft: February 8, 2022

**DISCHARGE PERMIT – RENEWAL FOR CLOSURE
EXISTING DAIRY FACILITY with a LAND APPLICATION AREA
Issued under 20.6.2 and 20.6.6 NMAC**

Facility Name: Adelante Farms LLC. (Formerly Oasis Dairy)
Discharge Permit No: DP-208
Facility Location: 4164 Oasis Dr., Roswell
Sections 22, 23, and 26, Township 11S, Range 25E

County: Chaves

Permittee Name: Chad Barbee
Mailing Address: Po Box 2107
Roswell, NM 88202

Permitting Action: Renewal for Closure
Source Classification: Agriculture- Dairy

Permit Issuance Date: DATE
Permit Expiration Date: DATE

NMED Permit Contact: Jaben Richards
Telephone Number/Email: (505)-660-8376/Jaben.richards@state.nm.us

JUSTIN BALL
Chief, Ground Water Quality Bureau

TABLE OF CONTENTS

Part A	GENERAL INFORMATION.....	1
A100	Introduction	1
A101	Terms of Permit Issuance	1
A102	Applicable Regulations	2
A103	Additional Information Requirements	2
A104	Facility: Physical Description	3
A105	Facility: Documented Hydrogeologic Conditions	4
A106	Facility: Existing System Controls	4
A107	Facility: Discharge Permit History and Prior Authorization.....	5
Part B	FACILITY SPECIFIC REQUIREMENTS	6
B100	Authorization for Land Application During Closure	6
B101	Facility: Conditions for Closure	6
B102	Facility: Conditions for Post-Closure Monitoring and Maintenance.....	11
B103	Facility: Contingency Plan.....	13
Part C	GENERAL CONDITIONS	14
C100	Introduction	14
C101	Legal.....	15
C102	General Inspection and Entry Requirements	16
C103	General Record Keeping and Reporting Requirements	16
Part D	MISCELLANEOUS	17
D100	Supporting On-Line Documents	17
D101	Definitions.....	17
D102	Acronyms.....	21

LIST OF TABLES

Table B1	Impoundment(s), Pond(s), and Settling Basin(s) Closure Requirements	6
Table B2	Land Application Area Management During Closure	7
Table B3	Manure Solids and Compost Closure Requirements	8
Table B4	Monitoring Well Requirements for Closure.....	9
Table B5	Stormwater Management During Closure and Post-Closure	11
Table B6	Post-Closure Groundwater Monitoring Requirements	11
Table B7	Post-Closure Well Plugging and Abandonment Requirements	12
Table C1	General Discharge Permit Conditions for Dairy Facility Closure	14

PART A GENERAL INFORMATION

A100 Introduction

- A. The New Mexico Environment Department (NMED) issues this Discharge Permit Renewal for Closure (Discharge Permit), DP-208, to Chad Barbee (Permittee) pursuant to the New Mexico Water Quality Act (WQA), NMSA 1978, §§ 74-6-1 through 74-6-17, and the New Mexico Ground and Surface Water Protection Regulations, 20.6.2 NMAC and the Supplemental Permitting Requirements for Dairies (Dairy Rule), 20.6.6 NMAC. NMED's purpose in issuing this Discharge Permit is to control the discharge of water contaminants from Adelante Farms, LLC (dairy facility)) for the protection of groundwater and those segments of surface water gaining from groundwater inflow, for present and potential future use as domestic and agricultural water supply and other uses, and to protect public health by requiring controls on the presence and distribution of water contaminants associated with former dairy facility operations and permanent closure activities and by providing oversight of post-closure monitoring.
- B. Under prior authorization of DP-208, last issued before the effective date of the Dairy Rule on October 9, 2002, the Permittee was authorized a maximum daily discharge volume of 64,000 gallons per day (gpd) of effluent from Oasis Dairy. Pursuant to site conditions, the discharge may have contained water contaminants or toxic pollutants elevated above the standards of 20.6.2.3103 NMAC in compliance with the terms and conditions of the previous Discharge Permit.
- C. The dairy facility permanently ceased discharging in February 2009. Even after cessation of active discharge, the discharge or leachate retains the potential to move directly or indirectly into groundwater of the State of New Mexico which has an existing concentration of 10,000 milligrams per liter (mg/L) or less of total dissolved solids (TDS) within the meaning of 20.6.2.3104 and 20.6.2.3101(A) NMAC.
- D. The Permittee is authorized to perform closure activities and post-closure monitoring pursuant to this Discharge Permit which contains requirements authorized or specified by the Dairy Rule on condition that the Permittee complies with the Dairy Rule and this Discharge Permit, which are enforceable by NMED.

A101 Terms of Permit Issuance

- A. **Permit Duration** - Pursuant to WQA 74-6-5(I) and 20.6.2.3109(H) NMAC, the term of a Discharge Permit is for the fixed term of **five years** from the effective date of the Discharge Permit. The obligation of the Permittee to implement facility closure and post-closure requirements survives the expiration of this Discharge Permit. If closure or post-closure activities specified herein have not been completed by the Permittee prior to the expiration of this Discharge Permit and/or the Permittee has not received from NMED a notice of Discharge Permit termination, the Permittee must request from NMED a renewal of this Discharge Permit as described in Item C below.

- B. **Permit Fees** - As a discharge permit associated with a dairy facility, the Permittee shall remit an annual permit fee payment equal to one-tenth of the applicable permit fee from table 1 of 20.6.2.3114 NMAC on the first occurrence of August 1 after the effective date of this Discharge Permit, and annually thereafter until expiration or termination of this Discharge Permit [20.6.6.9(A) NMAC].
- C. **Permit Renewal** - To renew this Discharge Permit, the Permittee shall submit, in accordance with 20.6.6.10 NMAC, an application and any associated fees for renewal at least one year before the discharge permit expiration date, unless permanent closure and cessation of all post-closure monitoring requirements has been approved by NMED before that date.
- D. **Transfer of Ownership** - This Discharge Permit is being issued to Chad Barbee (Permittee) as identified in **Section A100** above. In accordance with 20.6.6.8 NMAC, the Permittee, any listed owner(s) of record, and any [other] holder(s) of an expired discharge permit are responsible for complying with the conditions listed herein and the Dairy Rule. If during the duration of this Discharge Permit a change in the list of responsible parties is required, transfer of ownership shall be completed in accordance with 20.6.6.34 NMAC as described further in Item D of **Part C101** of this Discharge Permit.

A102 Applicable Regulations

- A. **Scope** - This Discharge Permit applies solely for the regulation of process wastewater or stormwater generated as a result of former dairy facility operations and closure and post-closure monitoring activities and does not include regulation of domestic wastewater at the facility [20.6.6.20(Y) NMAC]. Domestic wastewater generated at the facility is treated or disposed of pursuant to 20.7.3 NMAC.
- B. The Permittee is requesting closure of a facility that meets the definition of "dairy facility." 20.6.2.3000 through 20.6.2.3114 NMAC and Part 20.6.6 NMAC (Dairy Rule) apply to discharges specific to dairy facilities and their operations. Permanent closure of the dairy facility shall be managed in accordance with all applicable requirements of the Dairy Rule and this Discharge Permit.
- C. The discharge from the dairy facility is not subject to any of the exemptions of 20.6.2.3105 NMAC.
- D. Groundwater quality as observed in on-site monitoring wells is subject to the criteria of 20.6.2.3101 and 20.6.2.3103 NMAC unless otherwise specified in this Discharge Permit.
- E. Complying with the applicable requirements of 20.6.2 and 20.6.6 NMAC does not relieve a dairy facility's owner, operator or Permittee from complying with the requirements of other applicable local, state and federal regulations or laws.

A103 Additional Information Requirements

- A. **No Further Action Required**. The Permittee has satisfied the requirements of 20.6.6.10 and 20.6.6.13 NMAC prior to the effective date of this Discharge Permit.

A104 Facility: Physical Description

- A. This dairy facility meets the definition of “existing facility.”
- B. This dairy facility is located at 4164 Oasis Dr., approximately eight miles southeast of Roswell, in Sections 22, 23, and 26, T11S, R25E, in Chaves County.
- C. On the effective date of this Discharge Permit, the dairy facility is comprised of the following wastewater system components as identified in the application and the administrative record:
 1. Wastewater impoundments:
 - a. **Evap Pond** – a clay lined retention impoundment used to store wastewater for disposal by evaporation. Evap Pond is located approximately 500 feet east of the milking parlor. Constructed in the mid 1990’s, Evap Pond has a constructed storage capacity of 9.5 Ac-ft. Evap Pond was latter converted to an RCS following construction of the PWRS impoundment system in 2003 and has since been closed.
 - b. **Process Water Retention Structure (PWRS)-1** – a 40 mil HDPE lined retention impoundment used to store wastewater for disposal by land application. PWRS-1 is located approximately 800 feet east of the milking parlor. Constructed in 2003, PWRS-1 has a constructed storage capacity of 2.22 Ac-ft.
 - c. **PWRS-2** – a 40 mil HDPE lined retention impoundment used to store wastewater for disposal by land application. PWRS-2 is located approximately 1,000 feet east of the milking parlor. Constructed in 2003, PWRS-2 has a constructed storage capacity of 2.22 Ac-ft.
 - d. **PWRS-3** – a 40 mil HDPE lined retention impoundment used to store wastewater for disposal by land application. PWRS-3 is located approximately 900 feet southeast of the milking parlor. Constructed in 2003, PWRS-3 has a constructed storage capacity of 15.8 Ac-ft.
 2. Stormwater impoundments:
 - a. **Old Runoff Control Structure (RCS) System** – a series of three manure and/or compacted soil impoundments that were used to collect stormwater from 1983-1986 and used intermittently during the mid-1990’s following a six-year operation hiatus from 1987-1993. The Old RCS System was located approximately 800 feet northeast of the milking parlor.
 3. Fields within the land application area:
 - b. **LAA-A** – 138 acres located directly southeast of the PWRS impoundment system. LAA-A has received wastewater discharge since the inception of the facility. LAA-A was formerly five separate flood irrigated fields known as Fields 1 through 5 that existed up to 2009 when LAA-A was converted to a pivot irrigated field.
 - c. **LAA-B** – 103 acres located directly northeast of the PWRS impoundment system. It is unknown when wastewater application to LAA-B commenced, but LAA-B has received

wastewater. LAA-B was formerly four separate flood or lateral irrigated fields that existed up to 2003 when LAA-B was converted to a pivot irrigated field.

- a. **Fields 6-10** – NMED has limited information on the history of these fields. However, Fields 6 through 10 are located directly south of LAA-A and total of 218 acres. Fields 6 through 10 were irrigated by flood or lateral irrigation. NMED is not aware of when the initial application of wastewater to fields 6 through 10 commenced. This land is no longer owned by the permittee.

These system components are identified as potential sources of groundwater contamination and may require closure as identified in this Discharge Permit. A summary of all wastewater system components authorized to release/receive discharge under prior issuance(s) of this Discharge Permit is provided in **Section A107**.

A105 Facility: Documented Hydrogeologic Conditions

- A. Groundwater most likely to be affected at this dairy facility is at a depth of approximately 30 feet and had a pre-discharge total dissolved solids concentration of 1,152 milligrams per liter.
- B. The closest surface water system to the facility is the Pecos River, less than one mile to the east facility. The headwaters are located north of Pecos, New Mexico, at an elevation of over 12,000 feet on the western slope of the Sangre de Cristo mountain range. The Pecos River flows for 926 miles through eastern New Mexico and western Texas, emptying into the Rio Grande.

A106 Facility: Existing System Controls

- A. During operation, this dairy facility employed the following system controls pursuant to operational requirements as listed in prior issuance(s) of this Discharge Permit:
 1. **Impoundment(s)**: As listed in Item C above
 2. **Flow Meter(s)**:
 - a. **Facility Discharge Meter**- located on the discharge line to the separator to measure the volume of wastewater discharged from the production area to the PWRS impoundment system. This meter was installed in 2007.
 - b. **LAA Meter** – NMED does not have any documentation of this meter, however it is known that this meter existed at some point in the facility's history to measure the volume of wastewater discharged from the PWRS impoundment system to the land application area.
 3. **Manure Solids Separator**:
 - a. **Manure Solids Separator** – a inclined mechanical screen separator located on the north side of PWRS-1. The separator no longer exists.
 4. **Monitoring Wells** - The dairy facility used the following monitoring wells to supply data representative of groundwater quality:

- a. **MW-1** – intended to be hydrologically upgradient of all contamination sources at the dairy facility and located southwest of the milking parlor at 33.340723°N and -104.379328°W. This well has been dry since 2017.
- b. **MW-2** - hydrologically downgradient of the former Evap Pond and located southeast of the milking parlor at 33.340865°N and -104.375819°W.
- c. **MW-3** - hydrologically downgradient of the Old RCS System and located between the Old RCS System and LAA-B. This well has been dry since 2009.
- d. **343-MW-6**, intended to be hydrologically upgradient of contamination sources at the facility and located downgradient of Tom Visser Dairy (DP-343) LAA-D at 33.340469°N, -104.381122°W. NMED approved the location and installation of 343-MW-6 in a correspondence dated December 30, 2019 to Tom Visser Dairy, (DP-343).

These system controls shall require continued operation and maintenance during closure or post-closure activities and/or termination and removal as identified in this Discharge Permit.

- B. As of the effective date of this Discharge Permit, a total of 3 monitoring wells are documented at or near this dairy facility as identified in the application and/or the administrative record. All facility monitoring wells are subject either to closure or to post-closure monitoring as specified in **Section B102** and in **Table C1** of this Discharge Permit:

A107 Facility: Discharge Permit History and Prior Authorization

- A. The original Discharge Permit was issued on March 29, 1982 and subsequently renewed and/or modified on May 20, 1993 and October 9, 2002 respectively. DP-208, last issued on October 9, 2002, authorized the permittee to discharge water contaminants as part of facility operations subject to the following requirements:
 1. Discharge up to 64,000 gpd of wastewater from the production area. Wastewater flowed to a concrete sump and was pumped to a clay-lined lagoon for storage prior to land application up to 459 acres of irrigated cropland under cultivation.
 2. Utilize the following impoundments in accordance with 20.6.6.20.B NMAC as follows:
 - a. **PWRS-1** - was authorized to receive wastewater for storage prior to land application. This impoundment **exists** and remains unclosed as of the effective date of this Discharge Permit.
 - b. **PWRS-2** - was authorized to receive wastewater for storage prior to land application. This impoundment **exists** and remains unclosed as of the effective date of this Discharge Permit.
 - c. **PWRS-3** - was authorized to receive wastewater for storage prior to land application. This impoundment **exists** and remains unclosed as of the effective date of this Discharge Permit.
 - d. **EVAP Pond** - was authorized to receive wastewater and stormwater for collection prior to disposal Evaporation. This impoundment has been **closed** as the effective date of this Discharge Permit.

- a. **Old RCS System** - was authorized to receive stormwater for collection prior to land application. This impoundment **exists** and remains partially unclosed as of the effective date of this Discharge Permit.
3. Apply wastewater and stormwater to fields within the land application area in accordance with B, C and I of 20.6.6.21 NMAC. The land application area was comprised of the fields as listed in A104.C of this Discharge Permit for a total land application area of 459 acres.

PART B FACILITY SPECIFIC REQUIREMENTS

B100 Authorization for Land Application During Closure

- A. Pursuant to 20.6.6.30(A) NMAC, the Permittee is hereby authorized to continue to apply wastewater, stormwater, and manure solids and compost to fields within the land application area after permanent cessation of discharge operations: **LAA-A and LAA-B**. Authorization to discharge to these fields is being solely granted for the purposes of completing closure measures as specified in 20.6.6.30 NMAC and shall be redacted upon NMED confirmation of completion of the required closure measures listed in **Table B1** and **Table B3** of this Discharge Permit.

B101 Facility: Conditions for Closure

- A. **Impoundment(s)** - The Permittee shall permanently close all impoundments at the dairy facility as identified in **Section A104** above in accordance with 20.6.6 NMAC and the conditions summarized in **Table B1** below.

Table B1
Impoundment(s), Pond(s), and Settling Basin(s) Closure Requirements

Engineering and Surveying	
a) None required.	
Operations and Maintenance	
b) Within six (6) months of the effective date of this Discharge Permit [DATE], empty and land apply all wastewater from the following impoundments, ponds, and/or settling basins in accordance with the Table B2 of this Discharge Permit: PWRS-1, PWRS-2, and PWRS-3 . [20.6.6.30(A) NMAC]	
c) Within one (1) year of the effective date of this Discharge Permit [DATE] empty and land apply all stormwater from the following impoundments in accordance with the conditions specified in Table B2 of this Discharge Permit: Old RCS System . [20.6.6.30(A) NMAC]	
d) Upon emptying each impoundment and unless otherwise designated and approved by NMED for continued service as part of closure or post-closure maintenance (see Table C1 of this Discharge Permit), remove and properly dispose of all supporting infrastructure and any associated system controls used to supply or transfer wastewater and/or stormwater to/from the impoundment.	
e) Within two (2) years of the effective date of this Discharge Permit [DATE], remove and land apply manure solids from the following facility impoundments in accordance with conditions specified in Table B2 of this Discharge Permit: Old RCS System . [20.6.6.30(A) NMAC]	

Table B1
Impoundment(s), Pond(s), and Settling Basin(s) Closure Requirements

<p>f) Using clean fill for which a borrow source is appropriated by, fill and re-grade all emptied impoundments to blend into the surrounding pre-existing surface topography within two (2) years of the effective date of this Discharge Permit [DATE] to prevent any subsequent ponding of stormwater in the area. [20.6.6.30(A) NMAC]</p> <p>g) Send photo documentation to NMED of the properly closed Impoundments and Settling Basins.</p> <p>h) Until all wastewater has been removed from an impoundment and the feature filled and re-graded to reflect surrounding topography, maintain the feature such that:</p> <ul style="list-style-type: none"> • storage capacity preserves a minimum of two feet of freeboard at all times as required by 20.6.6.17(D) NMAC. [20.6.6.21(A) NMAC] • conditions which could affect the structural integrity of the feature or any associated feature liner are prevented. [20.6.6.20(P) NMAC] • any associated faulty pipe(s) or fixture(s) are repaired or replaced within 72 hours of discovery to mitigate or prevent an unauthorized discharge. [20.6.6.20(Q) NMAC]
Inspection and Monitoring
i) None required.
Recordkeeping and Reporting
<p>j) Report any unauthorized discharges to NMED pursuant to 20.6.2.1203 NMAC.</p> <p>k) Unless otherwise specified in this Discharge Permit, continue to submit all required monitoring information quarterly as part of the Quarterly Monitoring Report in accordance with the general reporting schedule listed in Table C1 of this Discharge Permit.</p> <p>l) Until all wastewater is removed:</p> <ul style="list-style-type: none"> • notify NMED within 24 hours of discovery of any observed condition(s) that may impact the structural integrity of a berm or liner or that may result in an unauthorized discharge. [20.6.6.20(P) NMAC] • continue to report composite wastewater sample results to NMED annually as part of the Quarterly Monitoring Report due May 1. [20.6.6.25(C) NMAC] <p>m) Maintain written records of any facility inspections performed during closure activities including repairs or replacements. Keep records at the facility or make them available to NMED upon request.</p>

- B. **Land Application Area Management** - The Permittee shall continue to manage all land application areas at the dairy facility in accordance with 20.6.6 NMAC and the conditions summarized in **Table B2** below.

Table B2
Land Application Area Management During Closure

Engineering and Surveying
a) None required.
Operations and Maintenance All Land Application Areas
b) Perform land application and closure activities in accordance with 20.6.6.30(A) NMAC.

Table B2
Land Application Area Management During Closure

<p>c) Land apply wastewater and/or stormwater only to field(s) within the land application area receiving fresh irrigation water. Wastewater and/or stormwater are intended as sources of crop nutrients and shall not be used as a primary source to meet the water consumptive needs of a crop.</p> <p>d) Land apply manure solids and composted material to the land application area [20.6.6.20(S) NMAC]. Estimate the nitrogen content of the manure solids applied to each field within the land application area at 25 pounds/ton or use the actual nitrogen content values from a composite sample collected annually of on-site manure solids. [20.6.6.25(D) NMAC]</p> <p>e) As required, blend wastewater with fresh water using any of the methods provided in 20.6.6.21(D) NMAC.</p> <p>f) Utilize and maintain all backflow prevention methods or devices in compliance with 20.6.6.21(L) NMAC.</p> <p>g) Minimize ponding within the land application area. [20.6.6.21(B) NMAC]</p>
Inspection and Monitoring All Land Application Areas
<p>h) Maintain and submit land application data sheets (LADS) for each authorized field within the land application area in accordance with 20.6.6.25(G) NMAC.</p> <p>i) Repair or replace a malfunctioning check valve device within 30 days of discovery, and use of all wastewater supply lines associated with the check valve device shall cease until repair or replacement has been completed. [20.6.6.21(M) NMAC]</p>
Recordkeeping and Reporting All Land Application Areas
<p>j) Unless otherwise specified in this Discharge Permit, continue to submit all required monitoring or recordkeeping information quarterly or as part of the next scheduled Quarterly Monitoring Report in accordance with the general reporting schedule listed in Table C1 of this Discharge Permit.</p> <p>k) If blending, maintain an accurate written record of the volume of fresh water added to the wastewater to properly calculate the overall volume of wastewater applied.</p> <p>l) Maintain an inspection log regarding maintenance of land application infrastructure. Provide log to NMED upon request. [20.6.6.21(K) NMAC]</p> <p>m) Per 20.6.6.25(H) NMAC, submit crop yield documentation and plant and harvest dates of each crop grown during closure measures to NMED.</p> <p>n) Per 20.6.6.25(J) NMAC, submit a nitrogen removal summary report to NMED.</p>

- C. **Manure Solids and Compost** - The Permittee shall permanently remove from the surface of the dairy facility all residual manure solids and compost in accordance with 20.6.6.30 NMAC and the conditions summarized in **Table B3** below.

Table B3
Manure Solids and Compost Closure Requirements

Engineering and Surveying
a) None required.
Operations and Maintenance
b) Manure solids and compost shall be removed from surface areas at the dairy facility and applied to the designated land application area, as authorized by a discharge permit or transferred off-site for proper disposal.
Inspection and Monitoring
c) None required.
Recordkeeping and Reporting

Table B3
Manure Solids and Compost Closure Requirements

d) Provide to NMED a summary of the implemented closure measures as specified in this table and any associated monitoring and sampling data collected in the Quarterly Monitoring Report (see **Table C1** of this Discharge Permit).

D. **Monitoring Well(s)** – As part of closure, a Permittee may be required to either install one or more additional groundwater monitoring wells for post-closure monitoring per 20.6.6.30(A) and/or plug and abandon one or more existing groundwater monitoring wells per 20.6.6.30(C). The groundwater monitoring well system approved for closure of this dairy facility is detailed in **Table B4** below.

Table B4
Monitoring Well Requirements for Closure

Engineering and Surveying	
a) None required.	
Operations and Maintenance	
b) Operate and maintain the following existing facility groundwater monitoring well(s) in compliance with 20.6.6.23(A) NMAC and this section of this Discharge Permit: 343-MW-6 and MW-2 .	
c) Within 120 days of the effective date of this Discharge Permit (by DATE), the Permittee shall properly plug and abandon the following existing monitoring well in accordance with 20.6.6.30(C) NMAC: MW-1 and MW-3 . Well[s] shall be plugged and abandoned pursuant to 19.27.4 NMAC and NMED's <i>Monitoring Well Construction and Abandonment Guidelines</i> and any other applicable local, state, and federal regulations. Documentation describing the plug and abandonment procedures, including photographic documentation, shall be presented in a <u>Well Abandonment Report</u> .	
d) Within (120) days of the effective date of this Discharge Permit (by DATE), install and complete the additional following groundwater monitoring wells for use in facility post-closure monitoring. [20.6.6.23(A) NMAC]:	
<ul style="list-style-type: none"> • MW-4, intended to be hydrologically downgradient of the PWRS impoundment system, Old RCS system, and LAA-B and proposed to be located at 33.344631°N, -104.367702°W. <p>All new wells (MW-4) shall be constructed and completed in accordance with 20.6.6.23(D) NMAC. On installation, all new wells shall be operated and maintained in compliance with 20.6.6.23(A) NMAC and this section of this Discharge Permit.</p>	
e) Verify all facility monitoring wells are permanently identified in accordance with 20.6.6.23(C) NMAC.	
Inspection and Monitoring	
f) Collect a groundwater sample from each newly installed groundwater monitoring well within 30 days of well completion. [20.6.6.23(H) NMAC]	
g) Continue to perform quarterly routine groundwater sampling of the following wells in accordance with 20.6.6.23(F) NMAC to comply with the required monitoring reporting schedule listed in Table C1: MW-2, MW-4, and 343-MW-6 . Monitoring of these wells shall, at a minimum, continue until all closure measures as specified in Section B100 of this Discharge Permit have been completed and confirmation of closure completion has been received from NMED. Any post-closure monitoring requirements for the dairy facility are specified in Section B101 of this Discharge Permit.	
h) Analyze collected groundwater sample(s) according to the methods listed in 20.6.6.24(B) and 20.6.2.3107.B NMAC. Pursuant to 20.6.6.24(B) NMAC, sample constituents that require analysis and reporting to NMED	

Table B4
Monitoring Well Requirements for Closure

include: nitrate as nitrogen, total Kjeldahl nitrogen, chloride, sulfate and total dissolved solids. [20.6.6.23(G) NMAC]

- i) Prior to the expiration date of this Discharge Permit, NMED shall have the option to perform one downhole inspection of each monitoring well identified in this Discharge Permit. NMED shall establish the inspection date and provide at least 60 days' notice to the Permittee by certified mail. The Permittee shall have any existing dedicated pumps removed at least 48 hours prior to NMED inspection to allow adequate settling time of any sediment agitated as a result of pump removal.

Should a facility not have existing dedicated pumps, but decide to install pumps in any of the monitoring wells, NMED shall be notified at least 90 days prior to pump installation so that a downhole well inspection can be scheduled prior to pump placement. [20.6.2.3107 NMAC]

Recordkeeping and Reporting

- j) Provide to NMED a **Well Abandonment Report** within 60 days of completion of well plugging activities.

- k) Provide to NMED a **Monitoring Well Survey Report** within 60 days of well completion of MW-4 for **all facility monitoring wells**. [20.6.6.23. I and K NMAC] A **Monitoring Well Survey Report** shall contain, at a minimum, the following information:

- Facility map with location and number of each well
- Top-of-casing survey elevation data of each well
- Depth-to-shallowest groundwater measurements
- Direction and gradient of groundwater flow at the dairy facility

- l) A **Monitoring Well Completion Report** shall be filed with NMED for all newly installed wells within 180 days of the effective date of this Discharge Permit. [20.6.6.23(J) NMAC] A **Monitoring Well Completion Report** shall contain, at a minimum, the following information:

- Construction and lithologic logs for the new monitoring wells including well record information specified by 19.27.4 NMAC.
- Depth-to-most-shallow groundwater measured in each new and existing monitoring well.
- Survey data and a survey map showing the locations of each new and existing monitoring well and a groundwater elevation contour map developed pursuant to 20.6.6.23(L) NMAC.
- Analytical results of groundwater samples collected from the new monitoring wells, including laboratory quality assurance and quality control summary reports, and field parameter measurements.

- m) A **Quarterly Monitoring Report** shall continue to be filed with NMED in accordance with the general reporting schedule listed in **Table C1**. Each **Quarterly Monitoring Report** shall contain, at a minimum, the following information: [20.6.6.23(G) NMAC]

- Facility map with location and number of each well in relation to the contamination source it is intended to monitor
- Depth-to-shallowest groundwater measurements
- Field parameter measurements and parameter stabilization log
- Analytical results (including the laboratory quality assurance and quality control summary report)
- Groundwater elevation contour maps utilizing elevation contours of 2 ft or less in accordance with 20.6.6.23(L) NMAC

- E. **Stormwater Management** - During implementation of both closure measures and post-closure monitoring, the Permittee shall manage stormwater at the dairy facility in accordance with 20.6.6 NMAC and the conditions summarized in **Table B5** below.

Table B5
Stormwater Management During Closure and Post-Closure

Engineering and Surveying
a) None required
Operations and Maintenance
b) Implement stormwater management by: [20.6.2.3109 NMAC] <ul style="list-style-type: none">• Maintain stormwater conveyance [20.6.6.20(H) NMAC]• Divert stormwater to minimize stormwater ponding and infiltration. [20.6.6.20(H) NMAC]• Before removal is complete, maintain diversions for facility stormwater run-on and run-off to prevent ponding within areas used for manure and compost stockpiling [20.6.6.20(S) NMAC]
Inspection and Monitoring
c) None required
Recordkeeping and Reporting
d) None required

B102 Facility: Conditions for Post-Closure Monitoring and Maintenance

- A. Pursuant to 20.6.6.30(B), the Permittee may initiate post-closure monitoring and maintenance at a dairy facility following completion of and confirmation by NMED that the requirements of **Section B100** have been adequately met.
- B. **Groundwater Monitoring** - The Permittee is required to perform post-closure groundwater monitoring in accordance with 20.6.6.30(B) NMAC and **Table B6** below.

Table B6
Post-Closure Groundwater Monitoring Requirements

Engineering and Surveying
a) None required.
Operations and Maintenance
b) Operate and maintain the following facility groundwater monitoring well(s) for post-closure monitoring in compliance with 20.6.6.23(A) NMAC and this section of this Discharge Permit: MW-2, MW-4, and 343-MW-6.
Inspection and Monitoring
c) Perform quarterly routine groundwater sampling of all post-closure monitoring wells in accordance with 20.6.6.23(F) NMAC to comply with the required monitoring reporting schedule listed in Table C1 : Post-closure monitoring at a dairy facility shall continue until a minimum of eight consecutive groundwater sampling events confirm that the standards of 20.6.2.3103 NMAC are not exceeded and the total nitrogen

Table B6
Post-Closure Groundwater Monitoring Requirements

<p>concentration in groundwater is less than or equal to 10 mg/L. If monitoring results show failure of one or both of these conditions, the Permittee shall implement contingency requirements pursuant to 20.6.6.27 NMAC (Section B102).</p> <p>d) Analyze collected groundwater sample(s) according to the methods listed in 20.6.6.24(B) and 20.6.2.3107.B NMAC. Pursuant to 20.6.6.24(B) NMAC, sample constituents that require analysis and reporting to NMED include: nitrate as nitrogen, total Kjeldahl nitrogen, chloride, sulfate and total dissolved solids. [20.6.6.23(G) NMAC]</p> <p>e) Prior to the expiration date of this Discharge Permit, NMED shall have the option to perform one downhole inspection of each monitoring well identified in this Discharge Permit. NMED shall establish the inspection date and provide at least 60 days' notice to the Permittee by certified mail. The Permittee shall have any existing dedicated pumps removed at least 48 hours prior to NMED inspection to allow adequate settling time of any sediment agitated as a result of pump removal.</p> <p>Should a facility not have existing dedicated pumps, but decide to install pumps in any of the monitoring wells, NMED shall be notified at least 90 days prior to pump installation so that a downhole well inspection can be scheduled prior to pump placement. [20.6.2.3107 NMAC]</p>
Recordkeeping and Reporting
<p>f) A Quarterly Monitoring Report shall continue to be filed with NMED in accordance with the general reporting schedule listed in Table C1. Each Quarterly Monitoring Report shall contain, at a minimum, the following information: [20.6.6.23(G) NMAC]</p> <ul style="list-style-type: none"> • Facility map with location and number of each well in relation to the contamination source it is intended to monitor • Depth-to-shallowest groundwater measurements • Field parameter measurements and parameter stabilization log • Analytical results (including the laboratory quality assurance and quality control summary report) • Updated groundwater elevation contour maps utilizing elevation contours of 2 ft or less in accordance with 20.6.6.23(L) NMAC

- C. **Stormwater Management** - During implementation of post-closure monitoring, the Permittee shall continue to manage stormwater at the dairy facility in accordance with 20.6.6 NMAC and the conditions as summarized in **Table B5** presented in **Section B100** of this Discharge Permit.
- D. **Well Plugging and Abandonment** - Upon written notification by certified mail from NMED that post-closure monitoring at the facility as specified in **Table B6** of this Discharge Permit may cease, the Permittee shall abandon all remaining facility well(s) in accordance with the conditions specified in 20.6.6.30(C) NMAC and **Table B7** below.

Table B7
Post-Closure Well Plugging and Abandonment Requirements

Engineering and Surveying
a) None required.

Table B7
Post-Closure Well Plugging and Abandonment Requirements

Operations and Maintenance
b) None required.
Inspection and Monitoring
c) None required.
Recordkeeping and Reporting
d) Provide to NMED a Post-Closure Well Abandonment Report within 60 days of completion of well plugging activities. The Post-Closure Well Abandonment Report shall provide information equivalent to the plugging record requirements of 19.27.4 NMAC. [20.6.6.30(C) NMAC]

B103 Facility: Contingency Plan

- A. In the event NMED or the Permittee identifies any failures of the Discharge Permit or system not specifically noted herein, NMED may require the Permittee to develop for NMED approval a contingency or corrective action plan and schedule to cope with the failure(s) [20.6.2.3107.A(10) NMAC].
- B. Facility conditions that may occur as part of closure or post-closure and will invariably require Permittee action under one or more contingency plans include:
1. **Exceedance of groundwater quality standards** – Constituent concentration(s) in one or more groundwater samples collected from a monitoring well intended to monitor contamination sources at a dairy facility including impoundments exceed (1) one or more of the groundwater standards of 20.6.2.3103 NMAC and (2) reported constituent concentration(s) in one or more groundwater samples collected from the upgradient monitoring well for four consecutive quarters.
 2. **Ineffective groundwater monitoring well(s)** – One or more monitoring well(s) required by 20.6.6.23 NMAC are (1) not located hydrologically downgradient of the contamination source(s) intended to monitor, (2) not completed pursuant to 20.6.6.23 NMAC or (3) contains insufficient water to monitor groundwater quality effectively.
 3. **Spills, leaks, unauthorized discharge** - Any spill or release that is not authorized under this Discharge Permit.

If a contingency or corrective action plan is required, the Permittee shall comply with the requirements of 20.6.2.1203, 20.6.6.27 and 20.6.6.29 NMAC, and shall submit to NMED all information or documentation required by the applicable portions of 20.6.2.1203, 20.6.6.27 and 20.6.6.29 NMAC. The Permittee may be required to abate water pollution pursuant to 20.6.2.4000 through 20.6.2.4115 NMAC, should the corrective action plan not result in compliance with the standards and requirements set forth in 20.6.2.4103 NMAC.

PART C GENERAL CONDITIONS

C100 Introduction

- A. The NMED has reviewed the permit application for the proposed closure and has determined that the provisions of the Dairy Rule and applicable groundwater quality standards will be met in accordance with this Discharge Permit. General conditions for all Discharge Permits issued by the Ground Water Quality Bureau pursuant to NMAC 20.6.2 as well as specific conditions as applied to the closure and post-closure of a dairy facility with use of a land application area pursuant to 20.6.6.30 NMAC are summarized on **Table C1**. Unless otherwise specified in Parts A or B of this Discharge Permit, both the conditions as listed in this part and the facility-specific conditions as listed in **Part B** of this Discharge Permit are mandated to achieve permanent closure of the facility.
- B. For closure, the Permittee shall comply with the requirements of 20.6.6.30 NMAC and shall submit to NMED all information or documentation required by the applicable portions of 20.6.6.30 NMAC.

Table C1
General Discharge Permit Conditions for Dairy Facility Closure

Engineering and Surveying	
a) None required	
Operations and Maintenance	
b) None required	
Inspection and Monitoring	
c) None required	
Recordkeeping and Reporting	
d) Records of any inspection(s), repairs and maintenance conducted on facility infrastructure as related the former wastewater management system shall be maintained at the dairy facility or be available for NMED review.	
e) Continue to generate monitoring reports that contain monitoring data and information collected pursuant to the Dairy Rule and as described in applicable sections of this Discharge Permit.	
f) Retain required records for a minimum period of 10 years from the date of any sample collection, measurement, report or application in accordance with 20.6.6.33 NMAC.	
g) Unless otherwise identified in this Discharge Permit, submit monitoring reports to NMED quarterly according to the following schedule: [20.6.6.24(A) NMAC]	
January 1 through March 31 (first quarter) – report due by May 1	
April 1 through June 30 (second quarter) – report due by August 1	
July 1 through September 30 (third quarter) – report due by November 1	
October 1 through December 31 (fourth quarter) – report due by February 1	

C101 Legal

- A. Nothing in this Discharge Permit shall be construed in any way as relieving the Permittee of the obligation to comply with all applicable federal, state, and local laws, regulations, permits or orders [20.6.2 NMAC].
- B. Any violation of the requirements and conditions of this Discharge Permit, including any failure to allow NMED staff to enter and inspect records or facilities, or any refusal or failure to provide NMED with records or information, may subject the Permittee to a civil enforcement action. Pursuant to WQA 74-6-10(A) and (B), such action may include a compliance order requiring compliance immediately or in a specified time, assessing a civil penalty, terminating the Discharge Permit, or any combination of the foregoing; or an action in district court seeking injunctive relief, civil penalties, or both. Pursuant to WQA 74-6-10(C) and 74-6-10.1, civil penalties of up to \$15,000 per day of noncompliance may be assessed for each violation of the WQA 74-6-5, the WQCC Regulations, or this Discharge Permit, and civil penalties of up to \$10,000 per day of noncompliance may be assessed for each violation of any other provision of the WQA, or any regulation, standard, or order adopted pursuant to such other provision. In any action to enforce this Discharge Permit, the Permittee waives any objection to the admissibility as evidence of any data generated pursuant to this Discharge Permit. [74-6-10 WQA, 74-6-10.1 WQA]
- C. Pursuant to WQA 74-6-10.2(A-F), criminal penalties shall be assessed for any person who knowingly violates or knowingly causes or allows another person to:
 - 1. Make any false material statement, representation, certification or omission of material fact in an application, record, report, plan or other document filed, submitted or required to be maintained under the WQA;
 - 2. Falsify, tamper with or render inaccurate any monitoring device, method or record required to be maintained under the WQA; or
 - 3. Fail to monitor, sample or report as required by a permit issued pursuant to a state or federal law or regulation, is subject to felony charges and shall be sentenced in accordance with the provisions of 31-18-15 NMSA 1978.
- D. Prior to the transfer of any ownership, control, or possession of this permitted facility or any portion thereof, the Permittee shall notify the proposed transferee in writing of the existence of this Discharge Permit and include a copy of this Discharge Permit with the notice in accordance with 20.6.2.3111 NMAC. The transferee(s) shall notify NMED, in writing, of the date of transfer of ownership and provide contact information for the new owner(s) pursuant to 20.6.6.12(B) NMAC. Notification of the transfer shall be submitted to NMED within 30 days of the ownership transfer date. [20.6.6.34 NMAC]
- E. Pursuant to WQA 74-6-5(o), the Permittee has a right to appeal the conditions and requirements as outlined in this Discharge Permit through filing a petition for review before the WQCC. Such petition shall be in writing to the WQCC within thirty (30) days of the receipt of this Discharge Permit. Unless a timely petition for review is made, the decision of NMED shall be final and not subject to judicial review.

C102 General Inspection and Entry Requirements

- A. Nothing in this Discharge Permit shall be construed as limiting in any way the inspection and entry authority of NMED under the WQA, the WQCC Regulations, or any other applicable law or regulation. [20.6.2.3107 NMAC, 74-6-9(B) & (E) WQA]
- B. The Permittee shall allow the Secretary or an authorized representative, upon the presentation of credentials, to: [20.6.2.3107.D NMAC, 74-6-9(B) & (E) WQA]
 - 1. Enter at regular business hours or at other reasonable times upon the Permittee's premises or other location where records must be kept under the conditions of this Discharge Permit, or under any federal or WQCC regulation.
 - 2. Inspect and copy, during regular business hours or at other reasonable times, any records required to be kept under the conditions of this Discharge Permit, or under any federal or WQCC regulation.
 - 3. Inspect, at regular business hours or at other reasonable times, any facility, equipment (including monitoring and control equipment or treatment works), practices or operations regulated or required under this Discharge Permit, or under any federal or WQCC regulation.
 - 4. Sample or monitor, at reasonable times for the purpose of assuring compliance with this Discharge Permit or as otherwise authorized by the WQA, any effluent, water contaminant, or receiving water at any location before or after discharge.

C103 General Record Keeping and Reporting Requirements

- A. The Permittee shall maintain a written record of the following:
 - 1. Amount of wastewater, effluent, leachate or other wastes discharged pursuant to this Discharge Permit. [20.6.2.3107.A NMAC]
 - 2. Operation, maintenance, and repair of all facilities/equipment used to treat, store or dispose of wastewater; to measure flow rates, to monitor water quality, or to collect other data required by this Discharge Permit. Per 20.6.2.3107.A NMAC, this record shall include:
 - a. Repair, replacement or calibration of any monitoring equipment; and
 - b. Repair or replacement of any equipment used in the Permittee's waste or wastewater treatment and disposal system.
 - 3. Any spills, seeps, and/or leaks of effluent, and of leachate and/or process fluids not authorized by this Discharge Permit. [20.6.2.3107.A NMAC]
- B. The Permittee shall maintain at its facility a written record of all data and information related to field measurements, sampling, and analysis conducted pursuant to this Discharge Permit. The following information shall be recorded and shall be made available to NMED upon request:

1. The dates, exact place and times of sampling or field measurements;
 2. The name and job title of the individuals who performed each sample collection or field measurement;
 3. The date of the analysis of each sample;
 4. The name and address of the laboratory and the name and job title of the person that performed the analysis of each sample;
 5. The analytical technique or method used to analyze each sample or take each field measurement;
 6. The results of each analysis or field measurement, including raw data;
 7. The results of any split sampling, spikes or repeat sampling; and
 8. A description of the quality assurance (QA) and quality control (QC) procedures used.
- C. The Permittee shall furnish to NMED, within a reasonable time, any documents or other information which it may request to determine whether cause exists for terminating and/or renewing this Discharge Permit or to determine compliance with this Discharge Permit. The Permittee shall also furnish to NMED, upon request, copies of documents required to be kept by this Discharge Permit. [20.6.2.3107.D NMAC, 74-6-9(B) & (E) WQA]

Part D MISCELLANEOUS

D100 Supporting On-Line Documents

- A. Copies of the following documents can be downloaded from NMED's web site under Forms.

<https://www.env.nm.gov/forms/>

1. Notice of Intent to Discharge
2. Application for a New Discharge Permit (dairy facility only)
3. Application for Discharge Permit Renewal and/or Modification (dairy facility only)
4. Application for Discharge Permit Renewal for Closure (dairy facility only)

D101 Definitions

- A. **"abatement plan"** means a description of any operational, monitoring, contingency and closure requirements and conditions for the prevention, investigation and abatement of water pollution, and includes Stage 1, Stage 2, or Stage 1 and 2 of the abatement plan, as approved by the secretary
- B. **"commission"** means:
1. the New Mexico water quality control commission (WQCC), or
 2. NMED, when used in connection with any administrative and enforcement activity

- C. **“dairy facility”** means the production area and the land application area (if applicable), where the discharge and associated activities will or do take place
- D. **“Dairy rule”** means 20.6.6 NMAC, as amended
- E. **“NMED”, “agency”, or “division”** means the New Mexico Environment Department or a constituent agency designated by the **commission**
- F. **“discharge permit”** means a discharge plan approved by NMED
- G. **“discharge permit modification”** means a change to the requirements of a discharge permit that result from a change in the location of the discharge, a significant increase in the quantity of the discharge, a significant change in the quality of the discharge; or as required by the secretary
- H. **“discharge permit renewal”** means the re-issuance of a discharge permit for the same, previously permitted discharge
- I. **“discharge plan”** means a description of any operational, monitoring, contingency, and closure requirements and conditions for any discharge of effluent or leachate which may move directly or indirectly into groundwater
- J. **“discharge site”** means the entire site where the discharge and associated activities will take place
- K. **“discharge volume”** means the measured daily volume of wastewater actually discharged within the production area. This definition does not include the volume of wastewater discharged to a land application area (if applicable).
- L. **“disposal”** means to abandon, deposit, inter or otherwise discard a fluid as a final action after its use has been achieved
- M. **“existing dairy facility”** means a dairy facility that is currently discharging, or has previously discharged and has not been issued a notice from NMED verifying that closure and post-closure monitoring activities have been completed
- N. **“fluid”** means material or substance which flows or moves whether in a semisolid, liquid, sludge, gas, or any other form or state
- O. **“flow meter”** means a device used to measure the volume of water, wastewater or stormwater that passes a particular reference section in a unit of time
- P. **“freeboard”** means the vertical distance between the elevation at the lowest point of the top inside edge of the impoundment and the design high water elevation of the water level in the impoundment
- Q. **“groundwater”** means interstitial water which occurs in saturated earth material and which is capable of entering a well in sufficient amounts to be utilized as a water supply

- R. **"impoundment"** means any structure designed and used for storage or disposal by evaporation of wastewater, stormwater, or a combination of both wastewater and stormwater. A multiple-cell impoundment system having at least one shared berm or barrier whose smallest cells have a cumulative constructed capacity of 10 percent or less of the constructed capacity of the largest cell shall be considered a single impoundment for the purposes of the Dairy Rule. A wastewater or stormwater transfer sump or a solids settling separator is not an impoundment
- S. **"manure"** means an agricultural waste composed of excreta of animals, and residual bedding materials, waste feed or other materials that have contacted excreta from such animals
- T. **"maximum daily discharge volume"** means the total daily volume of wastewater (expressed in gallons per day) authorized for discharge by a discharge permit. This definition does not include the volume of wastewater discharged to a land application area (as applicable)
- U. **"owner of record"** means an owner of property according to the property records of the tax assessor in the county in which the discharge site is located at the time the application was deemed administratively complete
- V. **"Permittee"** means a person who is issued or receives by transfer a discharge permit for a dairy facility or, in the absence of a discharge permit, a person who makes or controls a discharge at a dairy facility.
- W. **"production area"** means that part of the animal feeding operation that includes the following: the animal confinement areas; the manure, residual solids and compost storage areas; the raw materials storage areas; and the wastewater and stormwater containment areas. The animal confinement areas include but are not limited to open lots, housed lots, feedlots, confinement barns, stall barns, free stall barns, milkrooms, milk centers, cowyards, barnyards, hospital pens and barns, and animal walkways. The manure, residual solids and compost storage areas include, but are not limited to, storage sheds, stockpiles, static piles, and composting piles. The raw materials storage areas include, but are not limited, to feed silos, silage storage areas, feed storage barns, and liquid feed tanks. The wastewater and stormwater containment areas include, but are not limited to, settling separators, impoundments, sumps, run-off drainage channels, and areas within berms and diversions which prohibit uncontaminated stormwater from coming into contact with contaminants
- X. **"responsible person"** means a person who is required to submit a discharge permit or who submits a discharge permit
- Y. **"secretary"** or **"director"** means the secretary of the New Mexico Environment Department or the director of a constituent agency designated by the **commission**
- Z. **"spillway"** means a structure used for controlled releases from an impoundment designed to receive stormwater, in a manner that protects the structural integrity of the impoundment
- AA. **"stormwater"** means direct precipitation and run-off that comes into contact with water contaminants within the production area of a dairy facility

- BB. **"TDS"** means total dissolved solids as determined by the "calculation method" (sum of constituents), by the "residue on evaporation method at 180 degrees" of the "U.S. geological survey techniques of water resource investigations," or by conductivity, as the secretary may determine
- CC. **"toxic pollutant"** means a water contaminant or combination of water contaminants in concentration(s) which, upon exposure, ingestion, or assimilation either directly from the environment or indirectly by ingestion through food chains, will unreasonably threaten to injure human health, or the health of animals or plants which are commonly hatched, bred, cultivated or protected for use by man for food or economic benefit; as used in this definition injuries to health include death, histopathologic change, clinical symptoms of disease, behavioral abnormalities, genetic mutation, physiological malfunctions or physical deformations in such organisms or their offspring; in order to be considered a toxic pollutant a contaminant must be one or a combination of the potential toxic pollutants listed below and be at a concentration shown by scientific information currently available to the public to have potential for causing one or more of the effects listed above; any water contaminant or combination of the water contaminants in the list below creating a lifetime risk of more than one cancer per 100,000 exposed persons is a toxic pollutant. The list of **toxic pollutants** recognized by NMED can be found in 20.6.2.7.T NMAC.
- DD. **"unauthorized discharge"** means a release of wastewater, stormwater or other substances containing water contaminants not approved by a discharge permit
- EE. **"wastewater"** means water, that has come into contact with water contaminants as a result of being directly or indirectly used in the operations of a dairy facility including, but not limited to, the following: washing, cleaning, or flushing barns or other roof-covered production areas; washing of animals; spray-cooling of animals (except in open lots); and cooling or cleaning of feed mills and equipment. Wastewater does not include overflow from the drinking water system or stormwater unless overflow or stormwater that is collected is comingled with wastewater, or it comes into contact with water contaminants as a result of being directly or indirectly used in dairy facility operations
- FF. **"wastes"** means sewage, industrial wastes, or any other liquid, gaseous or solid substance which will pollute any waters of the state
- GG. **"water"** means all water including water situated wholly or partly within or bordering upon the state, whether surface or subsurface, public or private, except private waters that do not combine with other surface or subsurface water
- HH. **"water contaminant"** means any substance that could alter if discharged or spilled the physical, chemical, biological or radiological qualities of water; **"water contaminant"** does not mean source, special nuclear or by-product material as defined by the Atomic Energy Act of 1954
- II. **"water pollution"** means introducing or permitting the introduction into water, either directly or indirectly, of one or more water contaminants in such quantity and of such

duration as may with reasonable probability injure human health, animal or plant life or property, or to unreasonably interfere with the public welfare or the use of property

D102 Acronyms

CQA.....	construction quality assurance
CQC.....	construction quality control
DP	discharge permit
FEMA	federal emergency management administration
FIRM	flood insurance rate map
gpd.....	gallon per day
mg/L.....	milligram per liter
NMAC	New Mexico Administrative Code
NMED	New Mexico Environment Department
NMP.....	Nutrient Management Plan
NMSA.....	New Mexico Statutes Annotated
PWRS.....	Process Water Retention Structure
RCS.....	Runoff Control Structure
TDS.....	total dissolved solids
WQA	New Mexico Water Quality Act
WQCC	Water Quality Control Commission