



SUSANA MARTINEZ
Governor

JOHN A. SANCHEZ
Lieutenant Governor

NEW MEXICO ENVIRONMENT DEPARTMENT

Ground Water Quality Bureau

1190 South St. Francis Drive (87505)
P.O. Box 5469, Santa Fe, New Mexico 87502-5469

Phone (505) 827-2900 Fax (505) 827-2965

www.env.nm.gov



BUTCH TONGATE
Cabinet Secretary

BRUCE YURDIN
Acting Deputy Secretary

October 25, 2018

Re: Discharge Permit Applications Submitted for Review

The New Mexico Environment Department (NMED) Ground Water Quality Bureau (GWQB) hereby provides notice pursuant to 20.6.2.3108 NMAC that the following Groundwater Discharge Permit applications have been submitted to NMED for review. Provided the applicant has met applicable requirements, NMED will propose for approval a Discharge Permit containing limitations, monitoring requirements, and other conditions intended to protect groundwater quality for present and potential future use.

NMED encourages the public to learn about and be involved in regulatory decision-making opportunities. For each proposed permitted activity, NMED will develop a Public Involvement Plan (PIP) to identify all communities potentially affected by the proposed permitted activity and expand public participation opportunities to accommodate the needs of those communities. The PIP will be posted online at <https://www.env.nm.gov/gwqb/public-involvement-plans/> and placed at the NMED field office nearest to the proposed permitted activity. Information in this public notice was provided by the applicants and will be verified by NMED during the permit application review process. NMED will accept comments and statements of interest regarding applications and will create facility-specific mailing lists for persons who wish to receive future notices.

Questions, comments, or statements of interest should be directed to the NMED permit contact at (505) 827-2900 or at the following address: Ground Water Quality Bureau, PO Box 5469, Santa Fe, NM 87502-5469. Telephone conversation assistance is available through Relay New Mexico at no charge for people who are deaf, hard of hearing, or have difficulty speaking on the phone, by calling 1-800-659-1779; TTY users: 1-800-659-8331; Spanish: 1-800-327-1857.

NMED does not discriminate on the basis of race, color, national origin, disability, age or sex in the administration of its programs or activities, as required by applicable laws and regulations. NMED is responsible for coordination of compliance efforts and receipt of inquiries concerning non-discrimination requirements implemented by 40 C.F.R. Parts 5 and 7, including Title VI of the Civil Rights Act of 1964, as amended; Section 504 of the Rehabilitation Act of 1973; the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, and Section 13 of the Federal Water Pollution Control Act Amendments of 1972. If you have any questions about this notice or any of NMED's non-discrimination programs, policies or procedures, you may contact: Kristine Pintado, Non-Discrimination Coordinator, New Mexico Environment Department, 1190 St. Francis Dr., Suite N4050, P.O. Box 5469, Santa Fe, NM 87502, (505) 827-2855, nd.coordinator@state.nm.us. If you believe that you have been discriminated against with respect to a NMED program or activity, you may contact the Non-Discrimination Coordinator identified above or visit our website at <https://www.env.nm.gov/non-employee-discrimination-complaint-page/> to learn how and where to file a complaint of discrimination.

Sincerely,

Lochlin Farrell
Ground Water Quality Bureau



<u>Discharge Permit</u> 791	<u>Facility</u> 3 V Dairy		<u>Applicant</u> Casey Vander Dussen 3 V Dairy 4807 Graves Rd. Roswell, NM 88203	<u>NMED Permit Contact</u> Matthew Smith Matthew.Smith3@state.nm.us (505) 827-2797
	<u>Closest City</u> Roswell	<u>County</u> Chaves		

Notice: DP-791: 3 V Dairy proposes to renew the Discharge Permit for the discharge of up to 120,000 gallons per day from the production area of a dairy facility. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility 4805 Graves Rd., approximately 7 miles southeast of Roswell, in Section 19, T11S, R25E, Sections 23 and 24, T11S, R24E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 17 feet and had a pre-discharge total dissolved solids concentration of 2,950 milligrams per liter.

<u>Discharge Permit</u> 904	<u>Facility</u> Wild West Farms		<u>Applicant</u> David Hoekstra, Owner Wild West Farms 185 East Calusa Rd. Dexter, NM 88230	<u>NMED Permit Contact</u> Marc Bonem Marc.Bonem@state.nm.us (505) 827-2791
	<u>Closest City</u> Dexter	<u>County</u> Chaves		

Notice: DP-904: Wild West Farms proposes to renew and modify the Discharge Permit for the discharge of up to 135,000 gallons per day of agricultural wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 124 Anasazi Rd, approximately four miles northwest of Dexter, in Sections 27, 33, and 34, T12S, R25E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 50 - 125 feet and had a pre-discharge total dissolved solids concentration of 700 milligrams per liter.

<u>Discharge Permit</u> 1439	<u>Facility</u> Secondwind Dairy		<u>Applicant</u> Al Squire, Owner Secondwind Dairy 65 East Ottawa Rd Hagerman, NM 88232	<u>NMED Permit Contact</u> Steve Perez Steve.Perez@state.nm.us (505) 827-2434
	<u>Closest City</u> Hagerman	<u>County</u> Chaves		

Notice: DP-1439: Secondwind Dairy proposes to renew the Discharge Permit for the discharge of up to 20,000 gallons per day of wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 74 East Ottawa Rd, approximately 5 miles southwest of Hagerman, in Section 22, T14S, R25E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 175 feet and had a pre-discharge total dissolved solids concentration of 1,200 milligrams per liter.



<u>Discharge Permit</u> 238	<u>Facility</u> Maxwell Wastewater Treatment Plant		<u>Applicant</u> The Honorable Shantelle Gallegos Mayor Village of Maxwell PO Box 356 Maxwell, NM 87728	<u>NMED Permit Contact</u> Avery Olshefski Avery.Olshefski@state.nm.us (505) 827-2909
	<u>Closest City</u> Maxwell	<u>County</u> Colfax		

Notice: DP-238, Maxwell Wastewater Treatment Plant: The Village of Maxwell proposes to renew the Discharge Permit for the discharge of up to 22,000 gallons per day of domestic wastewater to a disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located on Chico Road, 0.5 mile east of Maxwell, Colfax County. Groundwater most likely to be affected is at a depth of approximately 25 feet and had a pre-discharge total dissolved solids concentration of 2,500 milligrams per liter.

<u>Discharge Permit</u> 873	<u>Facility</u> Cannon Air Force Base		<u>Applicant</u> Colonel Stewart A. Hammons Commander, 27th Special Operations Wing Cannon Air Force Base 506 N Air Commando Way Cannon AFB, NM 88103	<u>NMED Permit Contact</u> Ron Strauch Ron.Strauch@state.nm.us 505-827-1046
	<u>Closest City</u> Clovis	<u>County</u> Curry		

Notice: DP-873: Cannon Air Force Base proposes to renew the Discharge Permit for the discharge of up to 1,507,500 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located within the boundaries of the base, 100 Air Commando Way, 7 miles west of Clovis, Curry County. Groundwater most likely to be affected is at a depth of approximately 297 feet and had a pre-discharge total dissolved solids concentration of 535 milligrams per liter.

<u>Discharge Permit</u> 257	<u>Facility</u> Sunset Dairy LLC		<u>Applicant</u> Edward DeRuyter, Member Sunset Dairy LLC PO Box 167 Mesquite, NM 88048	<u>NMED Permit Contact</u> Matthew Smith Matthew.Smith3@state.nm.us (505) 827-2797
	<u>Closest City</u> Vado	<u>County</u> Doña Ana		

Notice: DP-257: Sunset Dairy LLC proposes to renew and modify the Discharge Permit for the discharge of up to 20,000 gallons per day of agricultural wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 6224 Hwy 478, approximately 2 miles southeast of Vado, in Sections 33 and 34, T25S, R03E, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 10 feet and had a pre-discharge total dissolved solids concentration of 1,336 milligrams per liter.



<u>Discharge Permit</u> 340	<u>Facility</u> Bright Star Dairy LLC		<u>Applicant</u> John DeRuyter, Member Bright Star Dairy, LLC PO Box 167 Mesquite, NM 88048	<u>NMED Permit Contact</u> Matthew Smith Matthew.Smith3@state.nm.us (505) 827-2797
	<u>Closest City</u> Mesquite	<u>County</u> Doña Ana		

Notice: DP-340: Bright Star Dairy LLC proposes to renew and modify the Discharge Permit for the discharge of up to 20,000 gallons per day of agricultural wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 13520 S. Stern Dr., approximately 2 miles southeast of Mesquite, in Sections 5 and 6, T25S, R03E; Sections 25 and 36, T24S, R02E; and Sections 30 and 31, T24S, R03E, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 36 - 54 feet and had a pre-discharge total dissolved solids concentration of 1,686 milligrams per liter.

<u>Discharge Permit</u> 1863	<u>Facility</u> Sands RV Park		<u>Applicant</u> Scott Goodale Managing Member Sands Development LLC 2110 Quail Hollow Run Carlsbad, NM 88220	<u>NMED Permit Contact</u> Jason Herman Jason.Herman@state.nm.us (505) 827-2713
	<u>Closest City</u> Carlsbad	<u>County</u> Eddy		

Notice: DP-1863: Sands RV Park proposes to discharge up to 15,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 2409 E. Greene Street, Carlsbad, in Section 26, T21S, R27E, Eddy County. Groundwater most likely to be affected is at a depth of approximately 36 feet below ground surface and had a pre-discharge total dissolved solids concentration of 2,600 milligrams per liter.

<u>Discharge Permit</u> 830	<u>Facility</u> American Mobile Home Park		<u>Applicant</u> Alfredo Molina American Mobile Home Park 11072 Hwy 180 W Silver City, NM 88061	<u>NMED Permit Contact</u> Avery Olshefski Avery.Olshefski@state.nm.us (505) 827-2909
	<u>Closest City</u> Silver City	<u>County</u> Grant		

Notice: DP-830, American Mobile Home Park: Alfredo Molina, Owner, proposes to renew the Discharge Permit for the discharge of up to 9,500 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 11072 Hwy 180 W, Silver City, Grant County. Groundwater most likely to be affected is at a depth of approximately 100 to 150 feet and had a pre-discharge total dissolved solids concentration of 603 milligrams per liter.



<u>Discharge Permit</u> 665	<u>Facility</u> Santa Rosa Wastewater Treatment Facility		<u>Applicant</u> The Honorable Nelson Kotiar, Mayor City of Santa Rosa PO Box 429, 244 South 4th St. Santa Rosa, NM 88435	<u>NMED Permit Contact</u> Andrew Romero AndrewC.Romero@state.nm.us (505) 827-0076
	<u>Closest City</u> Santa Rosa	<u>County</u> Guadalupe		

Notice: DP-665, Santa Rosa Wastewater Treatment Facility: The City of Santa Rosa proposes to renew and modify the Discharge Permit for the discharge of up to 670,000 gallons per day of reclaimed wastewater for irrigation and other reuse purposes. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located on Power Dam Lake Rd., Santa Rosa, Guadalupe County. The reuse sites are located in Section 6, T08N, R22E; Section 31, T09N, R22E; Section 2, T08N, R21E; and Section 11, T08N, R21E, Guadalupe County. Groundwater most likely to be affected is at a depth ranging from approximately 10 to 26 feet and had a pre-discharge total dissolved solids concentration of approximately 2,900 milligrams per liter.

<u>Discharge Permit</u> 248	<u>Facility</u> Chama Wastewater Treatment Plant		<u>Applicant</u> The Honorable Billy Elbrock Mayor Village of Chama 299 4th Street, Chama, NM 87520	<u>NMED Permit Contact</u> Russell Isaac Russell.Isaac@state.nm.us (505) 827-2978
	<u>Closest City</u> Chama	<u>County</u> Rio Arriba		

Notice: DP-248, Chama Wastewater Treatment Plant: The Village of Chama proposes to renew the Discharge Permit for the closure of a former wastewater treatment system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located approximately 1.7 miles southwest of the center of Chama, Rio Arriba County. Groundwater most likely to be affected is at a depth of approximately 8 feet and had a pre-discharge total dissolved solids concentration of 418 milligrams per liter.

<u>Discharge Permit</u> 880	<u>Facility</u> W. Diamond Dairy		<u>Applicant</u> Robert Rogers W Diamond Dairy PO Box 149 Portales, NM 88130	<u>NMED Permit Contact</u> Steve Perez Steve.Perez@state.nm.us (505) 827-2434
	<u>Closest City</u> Portales	<u>County</u> Roosevelt		

Notice: DP-880: W. Diamond Dairy proposes a Discharge Permit Renewal for the discharge of up to 49,999 gallons per day of agricultural wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 2875 South Roosevelt Road 7, approximately 9 miles west of Portales, in Section 7, T02S, R33E, Roosevelt County. Groundwater most likely to be affected is at a depth of approximately 60 feet and had a pre-discharge total dissolved solids concentration of 1,030 milligrams per liter.



<u>Discharge Permit</u> 505	<u>Facility</u> Kirtland Elementary School		<u>Applicant</u> Candice Thompson Central Consolidated School Dist. No 22 PO Box 1199 Shiprock, NM 87420	<u>NMED Permit Contact</u> Gerald Knutson Gerald.Knutson@state.nm.us (505) 827-2996
	<u>Closest City</u> Kirtland	<u>County</u> San Juan		

Notice: DP-505, Kirtland Elementary School: Central Consolidated School District No 22 proposes to renew the Discharge Permit for post-closure groundwater monitoring associated with a former wastewater treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 30 Road 6446, Kirtland, San Juan County. Groundwater most likely to be affected is at a depth of approximately 70 feet and had a pre-discharge total dissolved solids concentration of 1,190 milligrams per liter.

<u>Discharge Permit</u> 810	<u>Facility</u> Rancho Encantado Resort		<u>Applicant</u> Rancho Encantado, LLC Koh Tokoroyama Director of Finance 198 State Road 952 Santa Fe, NM 87506	<u>NMED Permit Contact</u> Sara Arthur Sara.Arthur@state.nm.us (505) 222-9535
	<u>Closest City</u> Tesuque	<u>County</u> Santa Fe		

Notice: DP-810, Rancho Encantado Resort: Rancho Encantado, LLC proposes to renew the Discharge Permit for the discharge of up to 20,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 198 NM 592, approximately 2.5 miles north of Tesuque, in Section 7, T18N, R10E, Santa Fe County. Groundwater most likely to be affected is at a depth of approximately 135 feet and had a pre-discharge total dissolved solids concentration of 270 milligrams per liter.

<u>Discharge Permit</u> 1004	<u>Facility</u> Willard Dairy		<u>Applicant</u> Abel Villalpando, Owner c/o Carol Irvin, Manager Willard Dairy 304 E. Ojibwa Road Dexter, NM 88230	<u>NMED Permit Contact</u> Marc Bonem Marc.Bonem@state.nm.us (505) 827-2791
	<u>Closest City</u> Willard	<u>County</u> Torrance		

Notice: DP-1004: Willard Dairy proposes to renew the Discharge Permit for the discharge of up to 80,000 gallons per day of agricultural wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 190 Dairy Road, approximately 1.8 miles southwest of Willard, in Section 13, T04N, R08E and Sections 18, and 19, T04N, R09E, Torrance County. Groundwater most likely to be affected is at a depth of approximately 118 feet and had a pre-discharge total dissolved solids concentration of 528 milligrams per liter.