



SUSANA MARTINEZ  
Governor

JOHN A. SANCHEZ  
Lieutenant Governor

**NEW MEXICO  
ENVIRONMENT DEPARTMENT**

*Ground Water Quality Bureau*

1190 South St. Francis Drive (87505)  
P.O. Box 5469, Santa Fe, New Mexico 87502-5469

Phone (505) 827-2900 Fax (505) 827-2965

[www.env.nm.gov](http://www.env.nm.gov)



BUTCH TONGATE  
Cabinet Secretary

J.C. BORREGO  
Deputy Secretary

October 3, 2018

**Re: Discharge Permit Applications Submitted for Review**

The New Mexico Environment Department (NMED) Ground Water Quality Bureau (GWQB) hereby provides notice pursuant to 20.6.2.3108 NMAC that the following Groundwater Discharge Permit applications have been submitted to NMED for review. Provided the applicant has met applicable requirements, NMED will propose for approval a Discharge Permit containing limitations, monitoring requirements, and other conditions intended to protect groundwater quality for present and potential future use.

NMED encourages the public to learn about and be involved in regulatory decision-making opportunities. For each proposed permitted activity, NMED will develop a Public Involvement Plan (PIP) to identify all communities potentially affected by the proposed permitted activity and expand public participation opportunities to accommodate the needs of those communities. The PIP will be posted online at <https://www.env.nm.gov/gwqb/public-involvement-plans/> and placed at the NMED field office nearest to the proposed permitted activity. Information in this public notice was provided by the applicants and will be verified by NMED during the permit application review process. NMED will accept comments and statements of interest regarding applications and will create facility-specific mailing lists for persons who wish to receive future notices.

Questions, comments, or statements of interest should be directed to the NMED permit contact at (505) 827-2900 or at the following address: Ground Water Quality Bureau, PO Box 5469, Santa Fe, NM 87502-5469. Telephone conversation assistance is available through Relay New Mexico at no charge for people who are deaf, hard of hearing, or have difficulty speaking on the phone, by calling 1-800-659-1779; TTY users: 1-800-659-8331; Spanish: 1-800-327-1857.

NMED does not discriminate on the basis of race, color, national origin, disability, age or sex in the administration of its programs or activities, as required by applicable laws and regulations. NMED is responsible for coordination of compliance efforts and receipt of inquiries concerning non-discrimination requirements implemented by 40 C.F.R. Part 7, including Title VI of the Civil Rights Act of 1964, as amended; Section 504 of the Rehabilitation Act of 1973; the Age Discrimination Act of 1975, Title IX of the Education Amendments of 1972, and Section 13 of the Federal Water Pollution Control Act Amendments of 1972. If you have any questions about this notice or any of NMED's non-discrimination programs, policies or procedures, you may contact: Kristine Pintado, Non-Discrimination Coordinator, New Mexico Environment Department, 1190 St. Francis Dr., Suite N4050, P.O. Box 5469, Santa Fe, NM 87502, (505) 827-2855, [nd.coordinator@state.nm.us](mailto:nd.coordinator@state.nm.us). If you believe that you have been discriminated against with respect to a NMED program or activity, you may contact the Non-Discrimination Coordinator identified above or visit our website at <https://www.env.nm.gov/non-employee-discrimination-complaint-page/> to learn how and where to file a complaint of discrimination.

Sincerely,

Lochlin Farrell  
Ground Water Quality Bureau



<b><u>Discharge Permit</u></b>  1179	<b><u>Facility</u></b> Mountain View Nitrate Plume Remediation Project		<b><u>Applicant</u></b> Joe Galemore, Project Manager INTERA Incorporated 6000 Uptown Blvd NE Suite 220 Albuquerque, NM 87110	<b><u>NMED Permit Contact</u></b> Avery Olshefski <a href="mailto:Avery.Olshefski@state.nm.us">Avery.Olshefski@state.nm.us</a> 505-827-2909
	<b><u>Closest City</u></b> Albuquerque	<b><u>County</u></b> Bernalillo		

**Notice:** DP-1179, Mountain View Nitrate Plume Remediation Project: INTERA, Inc. proposes to renew the Discharge Permit for the discharge of up to 50,000 gallons per day of extracted groundwater to injection wells for a remediation project. Potential contaminants from this type of discharge include metals and nitrogen compounds. The facility is at 5943 Industry Way SE, Albuquerque, Bernalillo County. Groundwater most likely to be affected is at a depth of approximately 50 to 77 feet and had a pre-discharge total dissolved solids concentration of approximately 900 to 1,850 milligrams per liter.

<b><u>Discharge Permit</u></b>  1380	<b><u>Facility</u></b> Quemado Mutual Water & Sewage Works Association		<b><u>Applicant</u></b> Debbie Garcia-Sanchez President Quemado Mutual Water & Sewage Works Association PO Box 81 Quemado, NM 87829	<b><u>NMED Permit Contact</u></b> Russell Isaac <a href="mailto:Russell.Isaac@state.nm.us">Russell.Isaac@state.nm.us</a> 505-827-2978
	<b><u>Closest City</u></b> Quemado	<b><u>County</u></b> Catron		

**Notice:** DP-1380: Quemado Mutual Water & Sewage Works Association proposes to renew the Discharge Permit for the discharge of up to 49,999 gallons per day of domestic wastewater to a disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located 1/4 mile south of Hwy 60, opposite 4th Street, Quemado, in Section 3, T01N, R16W, Catron County. Groundwater most likely to be affected is at a depth of approximately 14 feet and had a pre-discharge total dissolved solids concentration of 524 milligrams per liter.

<b><u>Discharge Permit</u></b>  612	<b><u>Facility</u></b> Roswell Correctional Center		<b><u>Applicant</u></b> Rueben Benavidez, Warden Roswell Correctional Center 578 West Chicksaw Rd Hagerman, NM 88232	<b><u>NMED Permit Contact</u></b> Russell Isaac <a href="mailto:Russell.Isaac@state.nm.us">Russell.Isaac@state.nm.us</a> 505-827-2978
	<b><u>Closest City</u></b> Hagerman	<b><u>County</u></b> Chaves		

**Notice:** DP-612: Roswell Correctional Center proposes to renew the Discharge Permit for the discharge of up to 50,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 578 West Chicksaw Rd, Hagerman, Chaves County. Groundwater most likely to be affected is at a depth of approximately 75 to 134 feet and had a pre-discharge total dissolved solids concentration of approximately 2,240 milligrams per liter.



<b><u>Discharge Permit</u></b>  646	<b><u>Facility</u></b> Rio Vista Dairy		<b><u>Applicant</u></b> Jerry Vaz, Owner Rio Vista Dairy 3835 E. McGaffey Rd Roswell, NM 88203	<b><u>NMED Permit Contact</u></b> Nancy McDuffie <a href="mailto:Nancy.McDuffie@state.nm.us">Nancy.McDuffie@state.nm.us</a> 505-222-9523
	<b><u>Closest City</u></b> Roswell	<b><u>County</u></b> Chaves		

**Notice:** DP-646: Rio Vista Dairy proposes a Discharge Permit Renewal for the discharge of up to 9,500 gallons per day of agricultural wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge location are located at 3909 Woodbine Way, approximately 5 miles east of Roswell, in Section 16, T11S, R25E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 21 feet below ground surface and had a pre-discharge total dissolved solids concentration of 1,760 milligrams per liter.

<b><u>Discharge Permit</u></b>  837	<b><u>Facility</u></b> Leprino Foods Company – Roswell		<b><u>Applicant</u></b> Mike Cureton Vice President Leprino Foods Company 1830 W 38th Avenue Denver, CO 80211	<b><u>NMED Permit Contact</u></b> Matthew Smith <a href="mailto:Matthew.Smith3@state.nm.us">Matthew.Smith3@state.nm.us</a> 505-827-2797
	<b><u>Closest City</u></b> Roswell	<b><u>County</u></b> Chaves		

**Notice:** DP-837, Leprino Foods Company – Roswell: Leprino Foods Company proposes to renew and modify the Discharge Permit for the discharge of up to 1,700,000 gallons per day (gpd) of food process wastewater to treatment and disposal system. The modification consists of an increase in the maximum daily discharge volume from 1,500,000 gpd to 1,700,000 gpd. Potential contaminants associated with this type of discharge include nitrogen compounds. The facility is located at 5600 Omaha Road, Roswell, in Sections 26 and 35, T11S, R24E, Chaves County. Groundwater most likely to be affected is at a depth of approximately 38 feet below ground surface and had a pre-discharge total dissolved solids concentration of 2,420 milligrams per liter.

<b><u>Discharge Permit</u></b>  1729	<b><u>Facility</u></b> Berrendo Middle School		<b><u>Applicant</u></b> Sean Benedict Maintenance Coordinator Roswell Independent School District 508 W. College Blvd. Roswell, NM 88201	<b><u>NMED Permit Contact</u></b> Russell Isaac <a href="mailto:Russell.Isaac@state.nm.us">Russell.Isaac@state.nm.us</a> 505-827-2978
	<b><u>Closest City</u></b> Roswell	<b><u>County</u></b> Chaves		

**Notice:** DP-1729, Berrendo Middle School: Roswell Independent School District proposes to renew the Discharge Permit for the discharge of up to 11,840 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 800 Marion Richards Rd, Roswell, Chaves County. Groundwater most likely to be affected is at a depth of approximately 61 feet and had a pre-discharge total dissolved solids concentration of approximately 1,867 milligrams per liter.



<b><u>Discharge Permit</u></b>  261	<b><u>Facility</u></b> Vermejo Park Ranch		<b><u>Applicant</u></b> Gus Holm General Manager Vermejo Park, LLC PO Drawer E Raton, NM 87740	<b><u>NMED Permit Contact</u></b> Kellie Jones <a href="mailto:Kellie.Jones@state.nm.us">Kellie.Jones@state.nm.us</a> 505-827-2949
	<b><u>Closest City</u></b> Raton	<b><u>County</u></b> Colfax		

**Notice:** DP-261: Vermejo Park Ranch proposes to renew and modify the Discharge Permit for the discharge of up to 42,640 gallons per day of domestic wastewater to a treatment and disposal system and discharge of septage to a land disposal area. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1000 Vermejo Park Ranch Rd, 40 miles west of Raton, Colfax County. Groundwater most likely to be affected is at a depth ranging from approximately 7 to 120 feet and had a pre-discharge total dissolved solids concentration of approximately 240 to 1,400 milligrams per liter.

<b><u>Discharge Permit</u></b>  808	<b><u>Facility</u></b> Village of Melrose Wastewater Treatment Plant		<b><u>Applicant</u></b> The Honorable Barry W. Green, Mayor Village of Melrose PO Box 235 Melrose, NM 88124	<b><u>NMED Permit Contact</u></b> Ron Strauch <a href="mailto:Ron.Strauch@state.nm.us">Ron.Strauch@state.nm.us</a> 505-827-1046
	<b><u>Closest City</u></b> Melrose	<b><u>County</u></b> Curry		

**Notice:** DP-808, Village of Melrose Wastewater Treatment Plant: The Village of Melrose proposes to renew the Discharge Permit for the discharge of up to 90,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located approximately 3/4 mile east of NM 267 & CR 11, approximately 1 mile south of Melrose, in Section 7, T02N, R32E, Curry County. Groundwater most likely to be affected is at a depth of approximately 50 feet and had a pre-discharge total dissolved solids concentration of approximately 448 milligrams per liter.

<b><u>Discharge Permit</u></b>  878	<b><u>Facility</u></b> Rajen Dairy #2		<b><u>Applicant</u></b> Randy Vander Dussen Rajen Dairy #2 948 Curry Road O Clovis, NM 88101	<b><u>NMED Permit Contact</u></b> Steve Perez <a href="mailto:Steve.Perez@state.nm.us">Steve.Perez@state.nm.us</a> 505-827-2434
	<b><u>Closest City</u></b> Clovis	<b><u>County</u></b> Curry		

**Notice:** DP-878: Rajen Dairy #2 proposes to renew the Discharge Permit for the discharge of up to 79,000 gallons per day of agricultural wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 1157 Curry Road 7, approximately two miles south of Clovis, in Sections 34, 35, and 36, T02N, R35E, Curry County. Groundwater most likely to be affected is at a depth of approximately 320 feet below ground surface and had a pre-discharge total dissolved solids concentration of 180 milligrams per liter.



<b><u>Discharge Permit</u></b>  1475	<b><u>Facility</u></b> Palla, Inc. 2		<b><u>Applicant</u></b> Eric Palla Managing Vice President Palla, Inc. 2 902 Colonial Parkway Clovis, NM 88101	<b><u>NMED Permit Contact</u></b> Nancy McDuffie <a href="mailto:Nancy.McDuffie@state.nm.us">Nancy.McDuffie@state.nm.us</a> 505-222-9523
	<b><u>Closest City</u></b> Clovis	<b><u>County</u></b> Curry		

**Notice:** DP-1475: Palla, Inc. 2 proposes to renew and modify the Discharge Permit for the discharge of up to 300,000 gallons per day of agricultural wastewater from a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1271 State Road 288, approximately 22 miles north of Clovis, in Sections 1, 2, and 11, T04N, R35E and Section 34, T05N, R35E, Curry County. Groundwater most likely to be affected is at a depth of approximately 452 feet below ground surface and had a pre-discharge total dissolved solids concentration of 265 milligrams per liter.

<b><u>Discharge Permit</u></b>  450	<b><u>Facility</u></b> Anthony Water & Sanitation District Wastewater Treatment Plant		<b><u>Applicant</u></b> Jose Terrones Superintendent Anthony Water & Sanitation District PO Box 1751 Anthony, NM 88021	<b><u>NMED Permit Contact</u></b> Russell Isaac <a href="mailto:Russell.Isaac@state.nm.us">Russell.Isaac@state.nm.us</a> 505-827-2978
	<b><u>Closest City</u></b> Anthony	<b><u>County</u></b> Doña Ana		

**Notice:** DP-450: Anthony Water & Sanitation District Wastewater Treatment Plant: Anthony Water & Sanitation District proposes to renew the Discharge Permit for the discharge of up to 980,000 gallons per day of reclaimed wastewater for reuse purposes. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1470 N 4th St, Anthony, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 60 feet and had a pre-discharge total dissolved solids concentration of approximately 1,836 milligrams per liter.

<b><u>Discharge Permit</u></b>  1602	<b><u>Facility</u></b> Chaparral Wastewater Treatment Plant		<b><u>Applicant</u></b> Daniel Sambrano Utility Manager Doña Ana County Utilities 845 N Motel Blvd Las Crikes, NM 88001	<b><u>NMED Permit Contact</u></b> Jason Herman <a href="mailto:Jason.Herman@state.nm.us">Jason.Herman@state.nm.us</a> 505-827-2713
	<b><u>Closest City</u></b> Chaparral	<b><u>County</u></b> Doña Ana		

**Notice:** DP-1602, Chaparral Wastewater Treatment Plant: Doña Ana County Utilities proposes to renew the Discharge Permit for the discharge of up to 750,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 190 Chaparral Dr., Chaparral, Doña Ana County. Groundwater most likely to be affected is at a depth of approximately 390 feet and had a pre-discharge total dissolved solids concentration of approximately 613 milligrams per liter.





<b><u>Discharge Permit</u></b>  734	<b><u>Facility</u></b> Cottonwood Springs Dairy		<b><u>Applicant</u></b> Philip Troost, Jr., Owner Cottonwood Springs Dairy 491 W. Funk Road Lake Arthur, NM 88523	<b><u>NMED Permit Contact</u></b> Steve Perez <a href="mailto:Steve.Perez@state.nm.us">Steve.Perez@state.nm.us</a> 505-827-2434
	<b><u>Closest City</u></b> Artesia	<b><u>County</u></b> Eddy		

**Notice:** DP-734: Cottonwood Springs Dairy proposes a Discharge Permit Renewal and Modification for the discharge of up to 140,000 gallons per day of agricultural wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 491 W. Funk Road, approximately 12 miles northwest of Artesia, in Section 6, T16S, R25E, Eddy County. Groundwater most likely to be affected is at a depth of approximately 25 feet below ground surface and had a pre-discharge total dissolved solids concentration of 900 milligrams per liter.

<b><u>Discharge Permit</u></b>  921	<b><u>Facility</u></b> Valley View Dairy		<b><u>Applicant</u></b> Joe Bogle, Owner Valley View Dairy 15 Hawthorne Road Lake Arthur, NM 88523	<b><u>NMED Permit Contact</u></b> Marc Bonem <a href="mailto:Marc.Bonem@state.nm.us">Marc.Bonem@state.nm.us</a> 505-827-2791
	<b><u>Closest City</u></b> Artesia	<b><u>County</u></b> Eddy		

**Notice:** DP-921 Valley View Dairy proposes a Discharge Permit Renewal for the discharge of up to 120,000 gallons per day of agricultural wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 15 Hawthorne Rd., approximately 7 miles north of Artesia, in Section 4, 5, 8, 9, and 10, T16S, R25E, Eddy County. Groundwater most likely to be affected is at a depth of approximately 25-67 feet below ground surface and had a pre-discharge total dissolved solids concentration of 1,200 milligrams per liter.

<b><u>Discharge Permit</u></b>  1274	<b><u>Facility</u></b> Carlsbad Wastewater Treatment Facility		<b><u>Applicant</u></b> Joe Harvey, Superintendent Carlsbad Wastewater Treatment Facility City of Carlsbad PO Box 1569 Carlsbad, NM 88221	<b><u>NMED Permit Contact</u></b> Russell Isaac <a href="mailto:Russell.Isaac@state.nm.us">Russell.Isaac@state.nm.us</a> 505-827-2978
	<b><u>Closest City</u></b> Carlsbad	<b><u>County</u></b> Eddy		

**Notice:** DP-1274, Carlsbad Wastewater Treatment Facility: the City of Carlsbad proposes to renew the Discharge Permit for the discharge of up to 6.5 million gallons per day of reclaimed wastewater for irrigation and other reuse purposes. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 45 Tell Tale Lane; irrigation sites are city-owned properties including the golf course, parks, and cemetery, Carlsbad, Eddy County. Groundwater most likely to be affected is at a depth of approximately 8 to 85 feet and had a pre-discharge total dissolved solids concentration of approximately 952 milligrams per liter.



<b><u>Discharge Permit</u></b>  1610	<b><u>Facility</u></b> Pecos Mobile Park		<b><u>Applicant</u></b> Adam Trubow Pecos Mobile Park 1122 Central Ave SW #5 Albuquerque, NM 87122	<b><u>NMED Permit Contact</u></b> Pam Homer <a href="mailto:Pamela.Homer2@state.nm.us">Pamela.Homer2@state.nm.us</a> 505-827-0018
	<b><u>Closest City</u></b> Carlsbad	<b><u>County</u></b> Eddy		

**Notice:** DP-1610, Pecos Mobile Park (formerly West Winds Mobile Home Park): Adam Trubow proposes to renew and modify the Discharge Permit for the discharge of up to 21,375 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 2414 Harding St, Carlsbad, Eddy County. Groundwater most likely to be affected is at a depth of approximately 100 feet and had a pre-discharge total dissolved solids concentration of approximately 783 milligrams per liter.

<b><u>Discharge Permit</u></b>  166	<b><u>Facility</u></b> Freeport-McMoRan Tyrone Mine		<b><u>Applicant</u></b> Erich J. Bower General Manager Freeport-McMoRan Tyrone Inc PO Box 571 Tyrone, NM 88065	<b><u>NMED Permit Contact</u></b> Keith Ehlert <a href="mailto:KeithW.Ehlert@state.nm.us">KeithW.Ehlert@state.nm.us</a> 505 827-9687
	<b><u>Closest City</u></b> Tyrone	<b><u>County</u></b> Grant		

**Notice:** DP-166, Freeport-McMoRan Tyrone Mine: Freeport-McMoRan Tyrone Inc. proposes to renew and modify the Discharge Permit for the discharge of up to 49,000,000 gallons per day (gpd) of acidic leach solution (raffinate) on copper ore stockpiles at an open pit mine. The modification includes construction of a new leach stockpile in the main pit of the Tyrone Mine, an increase in the maximum daily discharge of raffinate from 40,000,000 gpd to 49,000,000 gpd and using the main pit for collection of pregnant leach solution (PLS). Potential contaminants from this type of discharge include sulfate, total dissolved solids, and metals. The facility is located at Highway 90 South, Tyrone Mine Rd, approximately 4.5 miles southwest of Tyrone, in Sections 14, 15, 21, 22, 23, 26, 27, and 28, T19S, R15W, Grant County. Groundwater most likely to be affected is at a depth ranging from approximately ground surface to 350 feet below ground surface and had a pre-discharge total dissolved solids concentration ranging from approximately 100 to 500 milligrams per liter.

<b><u>Discharge Permit</u></b>  665	<b><u>Facility</u></b> Santa Rosa Wastewater Treatment Facility		<b><u>Applicant</u></b> The Honorable Nelson Kotiar, Mayor City of Santa Rosa PO Box 429, 244 South 4th St. Santa Rosa, NM 88435	<b><u>NMED Permit Contact</u></b> Andrew Romero <a href="mailto:AndrewC.Romero@state.nm.us">AndrewC.Romero@state.nm.us</a> 505-827-0076
	<b><u>Closest City</u></b> Santa Rosa	<b><u>County</u></b> Guadalupe		

**Notice:** DP-665, Santa Rosa Wastewater Treatment Facility: The City of Santa Rosa proposes to renew the Discharge Permit for the discharge of up to 670,000 gallons per day of reclaimed wastewater for reuse purposes. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located on Power Dam Lake Rd., Santa Rosa, Guadalupe County. The reuse sites are located in Section 6, T08N, R22E; Section 31, T09N, R22E; Section 2, T08N, R21E; and Section 11, T08N, R21E, Guadalupe County. Groundwater most likely to be affected is at a depth ranging from approximately 10 to 26 feet and had a pre-discharge total dissolved solids concentration of approximately 2,900 milligrams per liter.



<b><u>Discharge Permit</u></b>  1366	<b><u>Facility</u></b> Pyramid Generating Station		<b><u>Applicant</u></b> Barbara A. Walz Senior Vice President Policy & Compliance, CCO Tri-State Generation and Transmission Association, Inc. PO Box 33695 Denver, CO 80233-0695	<b><u>NMED Permit Contact</u></b> Ron Strauch <a href="mailto:Ron.Strauch@state.nm.us">Ron.Strauch@state.nm.us</a> 505-827-1046
	<b><u>Closest City</u></b> Lordsburg	<b><u>County</u></b> Hidalgo		

**Notice:** DP-1366, Pyramid Generating Station: Tri-State Generation and Transmission Association, Inc. proposes to renew the Discharge Permit for the discharge of up to 250,000 gallons per day of industrial wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds and organic compounds. The facility is located at 53 Ramos Farms Rd, Lordsburg, Hidalgo County. Groundwater most likely to be affected is at a depth of approximately 95 to 100 feet and had a pre-discharge total dissolved solids concentration of approximately 390 milligrams per liter.

<b><u>Discharge Permit</u></b>  1768	<b><u>Facility</u></b> Ski Apache		<b><u>Applicant</u></b> Justin Rowland Director of Operations Ski Apache PO Box 220 Ruidoso, NM 88355	<b><u>NMED Permit Contact</u></b> Ron Strauch <a href="mailto:Ron.Strauch@state.nm.us">Ron.Strauch@state.nm.us</a> 505-827-1046
	<b><u>Closest City</u></b> Alto	<b><u>County</u></b> Lincoln		

**Notice:** DP-1768, Ski Apache: The Mescalero Apache Tribe proposes to renew the Discharge Permit for the discharge of up to 30,000 gallons per day of domestic wastewater from holding tanks to an off-site disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1286 Ski Run Rd, Alto, Lincoln County. Groundwater most likely to be affected is at a depth of approximately 15 feet and had a pre-discharge total dissolved solids concentration of approximately 488 milligrams per liter.

<b><u>Discharge Permit</u></b>  1391	<b><u>Facility</u></b> Nutt Dairy		<b><u>Applicant</u></b> Gary Shiflett, Owner Nutt Dairy PO Box 719 Hatch, NM 87937	<b><u>NMED Permit Contact</u></b> Matthew Smith <a href="mailto:Matthew.Smith3@state.nm.us">Matthew.Smith3@state.nm.us</a> 505-827-2797
	<b><u>Closest City</u></b> Hatch	<b><u>County</u></b> Luna		

**Notice:** DP-1391: Nutt Dairy proposes a Discharge Permit Renewal and Modification for the discharge of up to 35,000 gallons per day of agricultural wastewater from the production area of a dairy facility. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge location are located at 23555 Hwy 26 NE, approximately 10 miles southwest of Hatch, in Sections 5 and 8, T20S, R05W, Luna County. Groundwater most likely to be affected is at a depth of approximately 64 feet below ground surface and had a pre-discharge total dissolved solids concentration of approximately 362 milligrams per liter.





<b><u>Discharge Permit</u></b>  1865	<b><u>Facility</u></b> Southwest Wines		<b><u>Applicant</u></b> Brandon Young Chief Executive Officer Southwest Wines PO Box 1180 Deming, NM 88030	<b><u>NMED Permit Contact</u></b> Matthew Smith <a href="mailto:Matthew.Smith3@state.nm.us">Matthew.Smith3@state.nm.us</a> 505-827-2797
	<b><u>Closest City</u></b> Deming	<b><u>County</u></b> Luna		

**Notice:** DP-1865: Southwest Wines proposes the discharge of up to 25,000 gallons per day of agricultural wastewater from a winery. Potential contaminants from this type of discharge include nitrogen compounds. The facility and discharge locations are located at 1325 De Baca Rd. SE, Deming, approximately 6 miles southeast of Deming, in Section 34, T23S, R08W, Luna County. Groundwater most likely to be affected is at a depth of approximately 114 feet below ground surface and has a total dissolved solids concentration of 215 milligrams per liter.

<b><u>Discharge Permit</u></b>  535	<b><u>Facility</u></b> Village of San Jon Wastewater Treatment Plant		<b><u>Applicant</u></b> The Honorable Billie Jo Barnes Mayor Village of San Jon PO Box 37 San Jon, NM 88434	<b><u>NMED Permit Contact</u></b> Avery Olshefski <a href="mailto:Avery.Olshefski@state.nm.us">Avery.Olshefski@state.nm.us</a> 505-827-2909
	<b><u>Closest City</u></b> San Jon	<b><u>County</u></b> Quay		

**Notice:** DP-535, Village of San Jon Wastewater Treatment Plant: The Village of San Jon proposes to renew the Discharge Permit for the discharge of up to 46,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located on East South Ave., San Jon, Quay County. Groundwater most likely to be affected is at a depth of approximately 48 feet and had a pre-discharge total dissolved solids concentration of approximately 1,400 milligrams per liter.

<b><u>Discharge Permit</u></b>  1054	<b><u>Facility</u></b> Lake Meredith Salinity Control Project		<b><u>Applicant</u></b> Kent Satterwhite General Manager Canadian River Municipal Water Authority PO Box 9 Sanford, TX 79078	<b><u>NMED Permit Contact</u></b> Kellie Jones <a href="mailto:Kellie.Jones@state.nm.us">Kellie.Jones@state.nm.us</a> 505-827-2949
	<b><u>Closest City</u></b> Logan	<b><u>County</u></b> Quay		

**Notice:** DP-1054, Lake Meredith Salinity Control Project: Canadian River Municipal Water Authority proposes to renew the Discharge Permit for the discharge of up to 648,000 gallons per day of saline groundwater to an injection well. Potential contaminants from this type of discharge include total dissolved solids. The facility is located at 4298 State Hwy 469, Logan, Quay County. Groundwater most likely to be affected is at a depth ranging from approximately 100 to 150 feet and had a pre-discharge total dissolved solids concentration of approximately 500 milligrams per liter.



<b><u>Discharge Permit</u></b>  1744	<b><u>Facility</u></b> Rio Arriba County Infrastructure Project		<b><u>Applicant</u></b> Thomas Campos County Manager Rio Arriba County 1122 Industrial Park Road Española, NM 87532	<b><u>NMED Permit Contact</u></b> Ron Strauch <a href="mailto:Ron.Strauch@state.nm.us">Ron.Strauch@state.nm.us</a> 505-827-1046
	<b><u>Closest City</u></b> Alcalde	<b><u>County</u></b> Rio Arriba		

**Notice:** DP-1744, Rio Arriba County Infrastructure Project: The County of Rio Arriba proposes to renew the Discharge Permit for the discharge of up to 12,000 gallons per day of domestic wastewater and 500 gallons per week of industrial wastewater to treatment and disposal systems. Potential contaminants from this type of discharge include nitrogen compounds, organic compounds, and metals. The facility is located on Highway 68 approximately 1 mile south of the Oñate Monument and Visitor’s Center in Alcalde, in Section 36, T22N, R08E, Rio Arriba County. Groundwater most likely to be affected is at a depth of approximately 100 feet and had a pre-discharge total dissolved solids concentration of approximately 267 milligrams per liter.

<b><u>Discharge Permit</u></b>  1800	<b><u>Facility</u></b> West Las Vegas Schools		<b><u>Applicant</u></b> Christopher Gutierrez Superintendent West Las Vegas Schools 179 Bridge Street Las Vegas, NM 87701	<b><u>NMED Permit Contact</u></b> Sara Arthur <a href="mailto:Sara.Arthur@state.nm.us">Sara.Arthur@state.nm.us</a> 505-827-9669
	<b><u>Closest City</u></b> Las Vegas	<b><u>County</u></b> San Miguel		

**Notice:** DP-1800: West Las Vegas School District proposes to renew the Discharge Permit for the discharge of up to 150,000 gallons per day of reclaimed wastewater for irrigation. Potential contaminants from this type of discharge include nitrogen compounds. The fields are located on Cinder Road north of Palo Verde, at 157 Moreno Street, and at 1024 South Pacific Street, Las Vegas, San Miguel County. Groundwater most likely to be affected is at a depth ranging from 6 to 20 feet and had a pre-discharge total dissolved solids concentration of approximately 540 milligrams per liter.

<b><u>Discharge Permit</u></b>  75	<b><u>Facility</u></b> Bishop's Lodge		<b><u>Applicant</u></b> Chad Holland BL Santa Fe, LLC 112 W. San Francisco Street Suite 310 Santa Fe, NM 87501	<b><u>NMED Permit Contact</u></b> Jason Herman <a href="mailto:Jason.Herman@state.nm.us">Jason.Herman@state.nm.us</a> 505-827-2713
	<b><u>Closest City</u></b> Santa Fe	<b><u>County</u></b> Santa Fe		

**Notice:** DP-75, Bishop's Lodge: BL Santa Fe, LLC proposes to renew and modify the Discharge Permit for the discharge of up to 50,000 gallons per day of domestic wastewater to a treatment and disposal system. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 1297 Bishop's Lodge Road, Santa Fe, Santa Fe County. Groundwater most likely to be affected is at a depth of approximately 23 feet and had a pre-discharge total dissolved solids concentration of approximately 300 milligrams per liter.



<b><u>Discharge Permit</u></b>  1869	<b><u>Facility</u></b> The Club at Las Campanas		<b><u>Applicant</u></b> Al Antonez General Manager/ COO The Club at Las Campanas, Inc. 132 Clubhouse Drive Santa Fe, NM 87506	<b><u>NMED Permit Contact</u></b> Pam Homer <a href="mailto:Pamela.Homer2@state.nm.us">Pamela.Homer2@state.nm.us</a> 505-827-0018
	<b><u>Closest City</u></b> Santa Fe	<b><u>County</u></b> Santa Fe		

**Notice:** DP-1869: The Club at Las Campanas proposes to discharge up to 320,000 gallons per day of reclaimed wastewater for irrigation. Potential contaminants from this type of discharge include nitrogen compounds. The facility is located at 437 Las Campanas Dr, Santa Fe, Santa Fe County. Groundwater most likely to be affected is at a depth of approximately 279 feet and had a pre-discharge total dissolved solids concentration of approximately 200 milligrams per liter.

<b><u>Discharge Permit</u></b>  314	<b><u>Facility</u></b> St. Cloud Zeolite Mine		<b><u>Applicant</u></b> Audie Padilla Zeolite Operations Superintendent St. Cloud Mining Company PO Box 196 Winston, NM 87943	<b><u>NMED Permit Contact</u></b> George Llewellyn <a href="mailto:george.llewellyn@state.nm.us">george.llewellyn@state.nm.us</a> (575) 956-1549
	<b><u>Closest City</u></b> Chloride	<b><u>County</u></b> Sierra		

**Notice:** DP-314, St. Cloud Zeolite Mine: St. Cloud Mining Company proposes to renew the Discharge Permit for the post-closure monitoring of a mine tailings disposal facility at the St. Cloud Zeolite Mine. Contaminants of concern include metals and total dissolved solids. The facility is located at 761 Saint Cloud Road, approximately three and one-half miles southeast of Chloride, Sierra County. Groundwater most likely to be affected is at a depth of approximately 50 feet below ground surface and had a pre-discharge total dissolved solids concentration of approximately 360 milligrams per liter.

<b><u>Discharge Permit</u></b>  1353	<b><u>Facility</u></b> Village of Willard Wastewater Treatment Facility		<b><u>Applicant</u></b> The Honorable Robert Chavez, Mayor Village of Willard PO Box 204 Willard, NM 87063	<b><u>NMED Permit Contact</u></b> Avery Olshefski <a href="mailto:Avery.Olshefski@state.nm.us">Avery.Olshefski@state.nm.us</a> 505-827-2909
	<b><u>Closest City</u></b> Willard	<b><u>County</u></b> Torrance		

**Notice:** DP-1353, Village of Willard Wastewater Treatment Facility: The Village of Willard proposes to renew the Discharge Permit for the discharge of up to 34,200 gallons per day of domestic wastewater to three treatment and disposal systems. Potential contaminants from this type of discharge include nitrogen compounds. The treatment plants are located in Willard, in Sections 5, 6, and 8, T04N, R09E, Torrance County. Groundwater most likely to be affected is at a depth of approximately 50 feet and had a pre-discharge total dissolved solids concentration of approximately 520 milligrams per liter.

To view this and other public notices issued by the Ground Water Quality Bureau on-line, go to:  
<https://www.env.nm.gov/gwb/NMED-GWQB-PublicNotice.htm>